

FEDERAL EXPRESS

Marathon Petroleum Company LP

1300 South Fort Street Detroit, MI 48217 Telephone 313/843-9100

January 20, 2012

Mr. Chris Ethridge MDEQ – Air Quality Division Cadillac Place 3058 West Grand Boulevard Suite 2-300 Detroit, MI 48202

RE: Fourth Quarter 2011 Leak Detection and Repair, Wastewater VOC, and Benzene Waste NESHAP Certification and Compliance Report

Dear Mr. Ethridge:

This report is being submitted by the Michigan Refining Division of Marathon Petroleum Company LP (MPC) to fulfill the requirements of:

- The fugitive and wastewater VOC emissions monitoring program for the fourth quarter of 2011. This report is required by Michigan Air Rule 622, U.S. EPA's New Source Performance Standards (NSPS), and the National Emission Standards for Hazardous Air Pollutants from Petroleum Refineries. In addition, this report contains information required by Paragraph 200iic of the First Modification to the November 2005 First Revised Consent Decree (CD), United States of America et. al. v. Marathon Petroleum Company LP (MPC) (Civil Action No. 4:01CV-40119-PVG), lodged February 7, 2008 and entered on March 31, 2008.
- The Benzene Waste NESHAPS Subpart FF Certification and Compliance report for the fourth quarter of 2011. This report is required by 40 CFR 61 Subpart FF and Paragraph 18.P.ii.b of the Consent Decree.

The attached tables include information necessary for compliance with these requirements.

Table 1 lists MPC process units (NSPS VV Section 60.487 (c)(1)) and summarizes the process unit shutdowns that occurred during this quarter (NSPS VV Section 60.487 (c)(3)). Table 1 also includes the approximate number of components present in each unit at the beginning and ending of the reporting period (NSPS VV Section 60.487(c)(4)).

Mr. Ethridge January 20, 2012 Page 2

Table 2 lists the components found leaking and an exceedance summary for various pieces of control equipment or treatment processes during this quarter and the dates of repair (NSPS VV Section 60.487(c)(2) and 40 CFR 61.357(d)(7)).

Table 3 lists leaking components on delay of repair (NSPS VV Section 60.487(c)(2)). This information is also required by Paragraph 20.O.ii.c.2.f of the CD.

Table 4 includes information satisfying NSPS Subpart QQQ (Section 60.698(c)) requirements.

This table summarizes drain and junction box inspections that identified seals with low water level or other problems that could result in VOC emissions. In addition, subsequent corrective actions and/or repairs are identified. All required inspections for the QQQ standards have been completed as required.

Table 5 presents measures that MPC took to satisfy Paragraphs 20.O.ii.c.1 and 18.P.ii.b of the CD.

Table 6 lists specific monitoring information as required per Paragraph 20.O.ii.c.2.a—e of the CD.

Table 7 contains the certification that all of the required inspections have been carried out in accordance with the requirements of 40 CFR 61.357(d)(6).

Table 8 contains the exceedance summary for various pieces of control equipment or treatment processes as required in 40 CFR 61.357(d)(7) and 4 0CFR 60.692-5(e)(5).

Table 9 contains the End of Line calculation as required per Paragraph 18.K.iii and 18.P.ii.b of the CD. The refinery received written approval of the End of Line Sampling Plan on March 8, 2010.

Table 10 includes information satisfying Benzene Waste NESHAP Subpart FF (Section 61.357(d)(8)) requirements.

This table summarizes all inspections required by 40 CFR 61.342 through 61.354 during which detectable emissions are measured or a problem that could result in benzene emissions is identified. Additionally, subsequent corrective actions and/or repairs are identified.

Please contact Ms. Kristen Schnipke (313) 297-4750 or Mr. Greg Shay (313) 297-6115 if you have any questions concerning this submittal.

Mr. Ethridge January 20, 2012 Page 3

Sincerely,

Marathon Petroleum Company LP

By: MPC Investment LLC, General Partner

Mr. C.T. Case, Deputy Assistant Secretary

Attachments

cc: (2) U.S. EPA, Director of Regulatory Enforcement c/o Matrix Environmental and Geotechnical – *Federal Express*

- (2) Air and Radiation Division, U.S. EPA Region 5 -Federal Express
- (2) Office of Regional Counsel, U.S. EPA Region 5 Federal Express

Table 1
Component Summary - Fourth Quarter 2011
Michigan Refining Division

				Appro	ximate Numb	er of Compon	ents		
Complex	Unit	Description	Pu	mps	Va	lves	Compressors		Dates of Shutdown
	•	·	9/30/2011	12/31/2011	9/30/2011	12/31/2011	9/30/2011	12/31/2011	
	4	Vacuum Unit	5	5	459	495	2	2	
1	5	Crude Unit	31	32	2,136	2,307	0	0	L
	29	Wastewater Plant	17	16	729	729	0	0 .	
	7	Distillate Hydrotreater Unit	20	20	1,300	1,310	3	3	
2	8	Gas Oil Hydrotreater Unit	5	5	1,580	1,562	2	2	
	9	Alkylation Unit	29	29	2,060	2,063	11	1 .	
	11	Fluid Catalytic Cracking Unit	6	6	476	483	0	0	<u> </u>
3	13	Propylene Unit	9	9	692	699	3	3	
	12 21	Gas Con/SATS Depropanizer/Treaters	27	27	1 <u>,</u> 959	1,982	2	2	
	14	Continuous Catalytic Reformer Unit	14	14	2,071	2,071	2	2	
4	16	Naphtha Hydrotreater Unit	25	23	1,743	1,743	0	0	
	19	Kerosene Hydrotreater Unit	8	8	671	685	1	1	
	1	Crude Tank Farm	23	24	829	833	0	0	· · · · ·
5	2	LPG Tank Farm	20	20	2,152	2,155	0	0	<u>. </u>
	3/4	CP/Melvindale Tank Farms	25	26	1,575	1,511	0	0	
		Light Products Terminal	18	15	888	888	0	0	

Table 2 Leakers Detected During Fourth Quarter 2011 Michigan Refining Division

					Date Leak	
Month	Complex	Unit	VOC Tag I.D.	Component Type	Detected	Date of Repair*

SEE ATTACHED TABLE

*R/D = Repair Delay S/D = Shutdown Required

MARATHON - DETROIT 1300 SOUTH FORT STREET DETROIT, MI 48217

01/17/2012

LEAKING EQUIPMENT LOG

Program: NSPS-VV

Reporting Period 10/01/2011 - 12/31/2011

Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
1600	VALVE/ WTR DRW	6.00	W SIDE OF TK40 WATER DRA	١		· · · · · · ·		· · ·		.,	-
				10/06/2011	VIS	F	RUSTED BOL	10/06/2011	ATTB	0.00	
			•	10/20/2011	VIS	P		10/20/2011	RWD	3.00	
			•	10/20/2011	M21	3 PPM		10/20/2011	VLV-CAP		10/20/2011
1649	PUMP	0.00	22P170 SE OF SAND FILTERS	11/01/2011	VIS	F	PMP-FLG	11/01/2011	PMP-WS E	752.00	<u></u>
			-	11/02/2011	M21	752 PPM		••	-		-
			-	11/09/2011	VIS	Р					11/09/2011

	Process Unit 01 Sur	nmary
	Component Count	Leak Count
Total in Group	2	2
Total Valves	1	1
Total Pumps	1	1
Total Compressors	0	0
Total Relief Valves	0	0
Total Connectors	0	0
Total Agitators	0	0
Total Other Equipment	0	0

1

Program: NSPS-VV

Process L	Jnit: 02								4		
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
2324	VALVE/ CTRL	4.00	DOT LINE S SIDE OF TK98 40F	T.N OF							·
			TORONTO RDWY, CV MOV 16								
				10/18/2011	M21	160800 PPM	VLV-PKG	10/18/2011	VLV-CL	46200.00	
			_	10/18/2011	M21	46200 PPM		10/28/2011	VLV-TP	201.00	
			-	10/28/2011	M21	201 PPM					10/28/2011
2366	VALVE/ BALL	3.00	15FT SW OF TK98 @UG-5-009	DOT LINE		*-	•				
				10/18/2011	M21	29300 PPM	VLV-BON	10/28/2011	VLV-TBO N	152.00	
			_	10/28/2011	M21	152 PPM				· · · · ·	10/28/2011
2366	VALVE/ BALL	3.00	15FT SW OF TK98 @UG-5-009	DOT LINE			-			~~~	
			_	12/16/2011	M21	13100 PPM	VLV-BON	12/16/2011	VLV-CL	10400.00	
			-	12/16/2011	M21	10400 PPM		12/22/2011	VLV-TP	19.00	
			_	12/22/2011	M21	19 PPM	-				12/22/2011
3195	VALVE/ ORBIT	3.00	SSD TOP OF BULLET TK 94 VI OF TK 93	LV RIGHT 7FT E							
				12/02/2011	M21	51700 PPM	VLV-PKG	12/02/2011	VLV-CL	38000.00	
			_	12/02/2011	M21	38000 PPM		12/07/2011	VLV-INJ	10.00	
			-	12/07/2011	M21	10 PPM					12/07/2011
3221	VALVE/ ORBIT	3.00	SSD OF BULLET TK 93 ON TO 92	P 7FT E OF TK							
				12/06/2011	M21	16700 PPM	VLV-PKG	12/06/2011	VLV-CL	14900.00	
			-	12/06/2011	M21	14900 PPM	_	12/07/2011	VLV-TP	72.00	
			-	12/07/2011	M21	72 PPM					12/07/2011
3835	VALVE/ NEEDLE	0.25	10' N OF PUMP 22P88 @ SAMI	PLE STATION							
				12/02/2011	M21	47700 PPM	VLV-PKG	12/02/2011	VLV-CL	69200.00	
			-	12/02/2011	M21	69200 PPM		12/06/2011	VLV-TP	2.00	
			_	12/06/2011	M21	2 PPM					12/06/2011
3840	PUMP	0.00	PUMP 22P89 S OF TK87								
				10/18/2011	VIS	F	PMP-SCR	10/18/2011	PMP-ST	78000.00	

Program: NSPS-VV

Process U	Jnit: 02									-	
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
3840	PUMP	0.00	PUMP 22P89 S OF TK87								-
						•			M		
				10/18/2011	M21	78000 PPM				_	
				10/18/2011	M21	148400 PPM		10/20/2011	PMP-WS E	0.00	
				10/20/2011	VIS	F				<u> </u>	
				10/20/2011	M21	10000 PPM		10/25/2011	PMP-TFI	0.00	
				10/25/2011	VIS	F	-	10/31/2011	PMP-TFI	0.00	
				10/31/2011	VIS	P					
				10/31/2011	M21	411 PPM			-	·- ·	10/31/2011
3840	PUMP	0.00	PUMP 22P89 S OF TK87		-	-	_				
				11/09/2011	VIS	F	PMP-SCR	11/09/2011	PMP-TFI	0.00	
				11/16/2011	VIS	F		11/16/2011	PMP-TFI	0.00	
				11/22/2011	VIS	Þ					
				11/28/2011	VIS	Р		11/30/2011	PMP-SEJ	0.00	
				11/30/2011	VIS	P					
			<u> </u>	11/30/2011	M21	207 PPM		<u></u>	_		11/30/2011
3840	PUMP	0.00	PUMP 22P89 S OF TK87	12/02/2011	M21	13400 PPM	PMP-SEAL	12/02/2011	PMP-WS	12000.00	
				42/02/2044		42000 DDM	 .	· · · · · · · · · · · · · · · · · · ·	E		
				12/02/2011	M21	12000 PPM	<u> </u>	12/05/2011	PMP-TFI	0.00	<u> </u>
				12/05/2011	VIS	F		12/06/2011	PMP-WS E	10000.00	
				12/06/2011	M21	10000 PPM		12/14/2011	PMP-TFI	0.00	
				12/14/2011	VIS	F		12/14/2011	PMP-SEJ	0.00	
				12/14/2011	VIS	Р	<u> </u>			·	· -
				12/14/2011	M21	71 PPM			,·	_ .	12/14/2011
3840	PUMP	0.00	PUMP 22P89 S OF TK87	-							
				12/28/2011	VIS	F	PMP-SCR	12/28/2011	PMP-TFI	0.00	
				01/03/2012	VIS	F		01/03/2012	PMP-TFI	0.00	

Program: NSPS-VV

Process l	Jnit: 02				-						
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
				01/10/2012	. VIS	F		01/10/2012	PMP-TFI	0.00	
				01/11/2012	VIS	Р	<u>-</u> .	01/11/2012		40.00	
				01/11/2012	M21	40 PPM					01/11/2012
3918	VALVE	1.00	SE SDE OF TK87 @ CEMEN	T COLUMN **	* Placed or	n Delay for Turnar	ound on 12/16	/2011			<u> </u>
				12/02/2011		31800 PPM		12/02/2011	VLV-CL	276300.00	
				12/02/2011	M21	276300 PPM		12/06/2011	VLV-CL	20000.00	
				12/06/2011	M21	20000 PPM			-		
3940	VALVE/ CHAIN	4.00	14' S OF 22P89 OVHD IN PIP	ERACK			<u> </u>	 -			
				10/18/2011	M21	11700 PPM	VLV-PKG	10/20/2011	VLV-TP	59.00	
				10/20/2011	M21	59 PPM		·	·		10/20/2011
3976	PUMP	0.00	PUMP 22P86 12' W OF TK80								
				10/18/2011	VIS	F	PMP-SCR	10/18/2011	PMP-ST M	18900.00	
				10/18/2011	M21	18900 PPM					
				10/18/2011	M21	19600 PPM		10/20/2011	PMP-TFI	0.00	
				10/20/2011	VIS	F	- 1		·		
				10/20/2011	M21	10000 РРМ			· · · · ·	<u>-</u>	
				10/25/2011	VIS	Р		10/31/2011	PMP-TFI	273.00	
				10/31/2011	M21	273 PPM					10/31/2011
3977	VALVE/ ORBIT	4.00	PUMP 22P86 SUCTION LINE	12' W OF TK80							·
				12/06/2011	M21	19500 PPM	VLV-PKG	12/06/2011	VLV-CL	12900.00	
				12/06/2011	M21	12900 PPM		12/08/2011	VLV-TP	39.00	
				12/08/2011	M21	39 PPM					12/08/2011
4061	VALVE/ ORBIT	6.00	S SIDE TK83 TOP BLK	 		· · ·	-		-		
				12/06/2011	M21	10100 PPM	VLV-PKG	12/06/2011	VLV-CP	160600.00	
				12/06/2011	M21	160600 PPM		12/08/2011	VLV-TP	4.00	
				12/08/2011	M21	4 PPM	,				12/08/2011

CR_LEAKINGEQUIP.FRX

Process U	Init: 02			-							
Tag Number	Part / Type	Size	Location N	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
4213	VALVE/ BALL CHECK	0.75	TK 83 S SIDE BTM BLK							·	
				10/18/2011	M2 1	12000 PPM	VLV-PLUG	10/18/2011	VLV-CL	16100.00	
			-	10/18/2011	M21	16100 PPM		10/20/2011	VLV-TPL G	43.00	
			_	10/20/2011	M21	43 PPM	··				10/20/2011
4221	VALVE/ ORBIT	6.00	TK 83 S SIDE BTM BLK UNDER	RNEATH						•	
			_	12/06/2011	M21	18800 PPM	VLV-PKG	12/06/2011	VLV-CL	84100.00	
				12/06/2011	M21	84100 PPM		12/08/2011	VLV-TP	27.00	
				12/08/2011	M21	27 PPM					12/08/2011
4246	VALVE/ QUICK	0.75	TK 82 S SIDE BTM DRAIN BLDF	₹			-				
			_	12/06/2011	M21	92400 PPM	VLV-PKG	12/06/2011	VLV-CL	118700.00	
				12/06/2011	M 21	118700 PPM		12/08/2011	VLV-TP	5.00	
			_	12/08/2011	M21	5 PPM		,			12/08/2011
4290	VALVE/ GATE	0.50	TK 80 S SIDE OVHD BLDR	11/28/2011	VIS	F	VLV-PLUG	11/28/2011	VLV-TPL G	0.00	
			_	11/28/2011	VIS	F		12/07/2011	VLV-PLU	0.00	
				12/07/2011	VIS	Р					
			· —	12/07/2011	M21	0.59 PPM	·		-	•	12/07/2011
4311A	VALVE/ CHECK	0.75	10FT W OF TK 80 S SIDE BTM I	BLDR							
				10/18/2011	M21	115000 PPM	VLV-SCR	10/18/2011	VLV-CL	34500.00	
				10/18/2011	M21	34500 PPM		10/18/2011	VLV-TCO N	97.80	
				10/18/2011	M21	97.8 PPM					10/18/2011
4403	VALVE/ CTRL	3.00	RK 3 WEST ISLAND CV@PMP						· · · · · · · · · · · · · · · · · · ·		
				12/07/2011	M21	29900 PPM	VLV-PKG	12/07/2011	VLV-CP	17400.00	
			_	12/07/2011	M21	17400 PPM		12/09/2011	TBL	2900.00	
				12/09/2011	M21	2900 PPM					12/09/2011

Program: NSPS-VV

Process U	nit: 02										
					Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed

	Process Unit 02 Sur	nmary
	Component Count	Leak Count
Total in Group	17	21
Total Valves	. 15	16
Total Pumps	2	5
Total Compressors	0	0
Total Relief Valves	0	0
Total Connectors	0	0
Total Agitators	0	0
Total Other Equipment	0	0

MARATHON - DETROIT 1300 SOUTH FORT STREET DETROIT, MI 48217

01/17/2012

LEAKING EQUIPMENT LOG

Program: NSPS-GGGA

Process L	Init: 04										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
32376	VALVE/ INSTR	0.50		TO PI TO CITY WATER DRUM VAPORS LINE							
				12/03/2011	M21	2899 PPM	VLV-SCR	12/03/2011	VLV-CL	1076.00	
				12/03/2011	M21	1076 PPM		12/07/2011	VLV-CL	7.00	
				12/07/2011	M21	7 PPM					12/07/2011

	Process Unit 04 Sun	nmary
	Component Count	Leak Count
Total in Group	1	1
Total Valves	1	1
Total Pumps	0	0
Total Compressors	0	0
Total Relief Valves	0	0
Total Connectors	0	0
Total Agitators	0	0
Total Other Equipment	0	0

Program: NSPS-VV

Reporting Period 10/01/2011 - 12/31/2011

Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
1-00542	VALVE/ CTRL	4.00	LVL 1 5V4 FRACT OH RC	VR NE CRNR @	-			·			'
				12/09/2011	M21	10500 PPM	VLV-PKG	12/09/2011	VLV-CL	12400.00	
				12/09/2011	M21	12400 PPM			•		
				12/21/2011	M21	1 PPM					12/21/201
27460	VALVE/ CTRL	3.00	LVL 1 STRUCT 5V4 FRAC CRNR @ CNTRL LP FUEL					•			
				12/09/2011	M21	19400 PPM	VLV-PKG	12/09/2011	VLV-CL	17200.00	
				12/09/2011	M21	17200 PPM		12/16/2011	VLV-TP	3.00	
				12/16/2011	M21	3 PPM					12/16/201
29025	PUMP	0.75	BOTTOM 5V35 & 5V32 DE TOTES TK 5T6 PMP	SALTERS CHEM							
				11/02/2011	VIS	F	PMP-TUB	11/02/2011	PMP-TFI	0.00	
				11/10/2011	VIS	Р					·
				11/16/2011	VIS	p					
				11/16/2011	M21	3.18 PPM					11/16/201
				Process Unit 0	5 Sumn	nary					
				Component Coun	t	Leak Count					
			Total in Group	3		3					
			Total Valves	2		2					
			Total Pumps	1		1					
			Total Compressors	0		0					
			Total Relief Valves	0		0					
			Total Connectors	0		0					
			Total Agitators	0		0					
			Total Other Equipment	0		0					

Program: NSPS-VV

					Test		Part	D 1		. .,	_
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Repair Dat e	Repair Method	Remonitor Reading	Date Complete
2-01144	PUMP	0.00	7P28 UNDER 7V58 SOUTH SI	DE		-					
				11/28/2011	VIS	F	PMP-SEAL	12/01/2011	PMP-WS E	0.00	
			-	12/01/2011	VIS	F		12/07/2011	PMP-WS E	0.00	
		•	-	12/07/2011	VIS	F		-			
			-	12/08/2011	M21	3.58 PPM					
			-	12/08/2011	VIS	Р					12/08/201
2-01144	PUMP	0.00	7P28 UNDER 7V58 SOUTH SIE	DE							-
				12/14/2011	VIS	F	PMP-SEAL	12/14/2011	PMP-WS E	0.00	
				12/20/2011	VIS	Р		12/22/2011	PMP-WS E	0.00	
			_	12/22/2011	VIS	Р					
			_	12/22/2011	M21	309 PPM	•				12/22/201
2-01144	PUMP	0.00	7P28 UNDER 7V58 SOUTH SID	DE			·				
				12/28/2011	VIS	F	PMP-SEAL	12/28/2011	PMP-WS E	0.00	
			_	01/04/2012	VIS	F	,	01/04/2012	PMP-WS E	0.00	
			_	01/11/2012	VIS	F	- "	01/11/2012	PMP-WS E	75.00	
	•		_	01/11/2012	M21	75 PPM		01/11/2012	PMP-SEJ	0.00	
			_	01/11/2012	VIS	P	-				01/11/2012
25830	VALVE/ NEEDLE	0.50	L1/4 7-V-108 20' N. D.P. CELL				<u>-</u>			, · · · , · · ·	
		:		12/08/2011	M21	22600 PPM	VLV-PKG	12/08/2011	VLV-CL	12700.00	
			_	12/08/2011	M21	12700 PPM	-	12/13/2011	VLV-TFIT T	303.00	
			~	12/13/2011	M21	303 PPM			<u></u>		12/13/2011

Program: NSPS-VV

Process U	Init: 07										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
				Process Unit 0	7 Summ	ary				*	
				Component Count	t	Leak Count					
			Total in Group	2		4					
			Total Valves	1		1					
		i	Total Pumps	1		3					
			Total Compressors	0		0					
			Total Relief Valves	0		0					
			Total Connectors	0		0					
			Total Agitators	0		0					
			Total Other Equipment	0		0					

Program: NSPS-VV

Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Complete
09C1	COMPRESSOR/ CENTRIFUGE	0.00	9C1 ALKY COMPRESSOR	**:	* Placed or	n Delay for Turnaro	und on 11/23/	2009			
	CENTRIFUGE			11/12/2009	M21	11300 PPM	COM-CSE AL	11/17/2009	CMP-WO	15000.00	
				11/17/2009	M21	15000 PPM		-			· · · · · ·
				12/29/2009	M21	4964 PPM			•		 -
				01/14/2010	M21	11245 PPM		01/14/2010	VLV-SEJ	9911.00	
				01/14/2010	M21	9911 PPM					•
				02/03/2010	M21	10253 PPM		02/03/2010	VLV-SEJ	9856.00	
				02/03/2010	M21	9856 PPM					
				03/23/2010	M21	1563 PPM					
				04/30/2010	M21	155 PPM		.			
				05/23/2010	M21	331 PPM		06/30/2010	CMP-WO	1601.00	
				06/30/2010	M21	1601 PPM					
				07/15/2010	M21	178 PPM					
				08/24/2010	M21	53.8 PPM				·	
				09/29/2010	M21	164 PPM					
				10/06/2010	M21	208 PPM		11/30/2010	CMP-WO	2313.00	•
				11/30/2010	M21	2313 PPM					•
				11/30/2010	M21	3411 PPM		01/14/2011	CMP-WO	2404.00	
				01/14/2011	M21	2404 PPM					
				01/14/2011	M21	29.88 PPM	-				
				02/17/2011	M21	140 PPM				·	
				04/26/2011	M21	20.18 PPM					
				05/04/2011	M21	1748 PPM				<u> </u>	<u>.</u>
				06/20/2011	M21	1291 PPM					
				07/11/2011	M21	70.24 PPM		08/17/2011	CMP-WO	100000.00	
				08/17/2011	M21	100000 PPM				<u> </u>	

Program: NSPS-VV

Process L	Init: 09				•						
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
				08/17/2011	M21	102000 PPM		09/29/2011	CMP-WO	75000.00	
				09/29/2011	M21	75000 PPM					
				09/29/2011	M21	198700 PPM		10/10/2011	CMP-WO	79400.00	
				10/10/2011	M21	79400 PPM					
				10/10/2011	M21	133200 PPM		11/30/2011	CMP-WO	110400.00	
				11/30/2011	M21	110400 РРМ					
				11/30/2011	M21	124500 PPM		12/15/2011	CMP-WO	144900.00	
				12/15/2011	M21	144900 PPM					
			•	12/15/2011	M21	18800 PPM		01/03/2012	CMP-WO	17900.00	
				01/03/2012	M21	17900 PPM					
				01/03/2012	M21	207500 PPM		·	•		
09C1	COMPRESSOR, CENTRIFUGE	0.00	9C1 ALKY COMPRESSOR	**	* Placed or	Delay for Turnard	ound on 11/23/	2009		- · · · · · <u>-</u> ·	
				08/17/2011	M21	100000 PPM	COM-CSE AL	08/17/2011	CMP-WO	102000.00	
				08/17/2011	M21	102000 PPM		09/29/2011	CMP-WO	75000.00	
				09/29/2011	M21	75000 PPM		•			
				09/29/2011	M21	198700 PPM		10/10/2011	CMP-WO	79400.00	
				10/10/2011	M21	79400 PPM	•				
				10/10/2011	M21	133200 PPM		11/30/2011	CMP-WO	110400.00	
				11/30/2011	M21	110400		<u> </u>			

Program: NSPS-VV

Process U	Init : 09										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
		•				PPM					
				11/30/2011	M21	124500 PPM		12/15/2011	CMP-WO	144900.00	
				12/15/2011	M21	144900 PPM					
				12/15/2011	M21	18800 PPM	· ··· <u>-</u> ·	01/03/2012	CMP-WO	17900.00	
				01/03/2012	M21	17900 PPM					
				01/03/2012	M21	207500 PPM					
10589	VALVE	1,00	DEETH OVHD CNDNSR S G VLV S SIDE	LASS 9E15 DRAIN	-						
				10/07/2011	M21	305100 PPM	VL <u>V</u> -PLUG	10/07/2011	VLV-TPL G	305100.00	
				10/07/2011	M21	305100 PPM		10/11/2011	VLV-PLU	33.00	
				10/11/2011	M21	33 PPM					10/11/201
10613	VALVE	0.75	TOP 9V18	10/07/2011	M21	41000 PPM	VLV-PLUG	10/07/2011	VLV-TPL G	11700.00	
				10/07/2011	M21	11700 PPM		10/11/2011	VLV-TPL G	49.00	
				10/11/2011	M21	49 PPM		•			10/11/201
10679	PUMP	0.00	9P37	11/02/2011	VIS	F	PMP-FLG	11/02/2011	PMP-WS E	10000.00	
				11/02/2011	M21	10000 PPM		11/02/2011	PMP-WS	0.00	
				11/02/2011	VIS	F					
			·	11/02/2011	M21	10000 PPM		11/09/2011	PMP-WS E	0.00	
				11/09/2011	VIS	F		11/15/2011	PMP-TCA	0.00	•

Program: NSPS-VV

Process L	Jnit: 09										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
-		-					-		SE		
			,	44/45/2044	VIS	P				-	
				11/15/2011 11/15/2011		1500 PPM					11/15/2011
40070	DUMD	0.00	9P37	17/13/2011	IVIZ						
10679	PUMP	0.00	9P37	11/16/2011	VIS	F	PMP-SEAL	11/16/2011	PMP-WS	0.00	
			•	11/17/2011	VIS	F		11/17/2011	PMP-WS E	6500.00	
				11/17/2011	M21	6500 PPM		11/23/2011	PMP-WS E	0.00	
			•	11/23/2011	VIS	P		-		•	
			•	11/23/2011	M21	428 PPM					11/23/2011
15601	VALVE/ BALL	1,00	TOP PLATFORM E OF 9V18	·							
				10/07/2011	M21	10100 PPM	VLV- SGL	10/07/2011	VLV-CL	10500.00	
				10/07/2011	M21	10500 PPM		10/14/2011	VLV-TFIT T	0.00	
			•	10/14/2011	VIS	P					
			•	10/14/2011	M21	42 PPM			_		10/14/2011
19608	VALVE	0.50	9V9 E SDESMPL STA AT BLD)							
				10/07/2011	M21	12900 PPM	VLV-PKG	10/12/2011	VLV-TCO N	10.00	
			·	10/12/2011	M21	10 PPM					10/12/2011
19608	VALVE	0.50	9V9 E SDESMPL STA AT BLD)							
				11/30/2011	M21	10078 PPM	VLV-PKG	12/01/2011	VLV-TP	45.00	
				12/01/2011	M21	45 PPM					12/01/2011
2-00200	VALVE/ GATE	0.75	DIB OVHD CNDNSRS BLEED! 9E10B NORTH END	ER TOP OF							
				10/07/2011	M21	14700 PPM	VLV-PLUG	10/11/2011	VLV-TPL G	8.00	
			•	10/11/2011	M21	8 PPM					10/11/2011

Program: NSPS-VV

Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
2-01941	PUMP	0.75	9P33 OFF OF 9V16	·		.,	-	·	•	٠	•
				11/02/2011	VIS	F	PMP-SEAL	11/02/2011	PMP-WS E	10000.00	
				11/02/2011	M21	10000 PPM		11/02/2011	PMP-WS	0.00	
				11/02/2011	VIS	F					
				11/02/2011	M21	10000 PPM		11/09/2011	PMP-WS E	0.00	
				11/09/2011	VIS	F		11/15/2011	PMP-TCA SE	0.00	· <u></u>
				11/15/2011	VIS	P					
				11/15/2011	M21	801 PPM	•		<u></u>		11/15/2011
20225	PUMP	0.00	6/0 9P6	10/07/2011	M21	73000 PPM	PMP-SEAL	10/07/2011	PMP-ST M	102800.00	
				10/07/2011	M21	102800 PPM		 -			
				10/14/2011	VIS	P		10/14/2011	РМР-ТВО	1024.00	<u>_</u>
				10/14/2011	M21	1024 PPM	 -				10/14/2011
20225	PUMP	0.00	6/0 9P6	<u> </u>						• •	-
				11/30/2011	M21	35500 PPM	PMP-SCR	11/30/2011	PMP-TFI	164900.00	
				11/30/2011	M21 .	164900 PPM		12/01/2011	PMP-ST M	0.00	
				12/01/2011	VIS	P			•	· · ·	
				12/01/2011	M21	305 PPM			···- <u>-</u>	<u> </u>	12/01/2011
22655	VALVE/ QUICK	0.75	W OF 9C1 G/2		_		•		<u> </u>		_
				10/10/2011	M21	21300 PPM	VLV-PKG	10/10/2011	VLV-CL	13600.00	
				10/10/2011	M21 ———	13600 PPM		10/11/2011	VLV-TP	286.00	
				10/11/2011	M21	286 PPM					10/11/2011

Program: NSPS-VV

Process L					Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed
24110	VALVE/ BALL	0.00	SMPLSTAT 5FT N OF 9E35 F KIND WITH TAG 33460	REPLACEMENT IN **	* Placed or	n Delay for Turnard	ound on 01/23	/2009 Remove	d From Turr	around List or	11/29/2010
				04/22/2009	M21	35600 PPM	VLV-BON	04/22/2009	VLV-TBO N	31100.00	
				04/22/2009	M21	31100 PPM		05/28/2009	VLV-TBO N	1260.00	
				05/28/2009	M21	1260 PPM					
				06/29/2009	M21	623 PPM		06/29/2009	VLV-TBO N	610.00	
		•		06/29/2009	M21	610 PPM					
				07/16/2009	M21	3616 PPM		07/16/2009	VLV-TBO N	1267.00	
				07/16/2009	M21	1267 PPM					
	•			08/17/2009	M21	2294 PPM		08/17/2009	VLV-TBO N	2065.00	•
				08/17/2009	M21	2065 PPM	-				
				09/14/2009	M21	5222 PPM		09/14/2009	VLV-TBO N	4830.00	
				09/14/2009	M21	4830 PPM		· ·			
				10/14/2009	M21	4 PPM					
				11/20/2009	M21	46 PPM					
				12/10/2009	M21	46 PPM					
				01/12/2010	M21	189 PPM					
				02/02/2010	M21	3 РРМ		03/23/2010	VLV-TBO N	774.00	
				03/23/2010	M21	774 PPM					
				03/23/2010	M21	931 PPM					
				04/18/2010	M21	17.41 PPM					
				05/23/2010	M21	1531 PPM		06/30/2010	VLV-TBO N	2264.00	
				06/30/2010	M21	2264 PPM	· ·				

Program: NSPS-VV

Process L	Jnit : 09										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Complete
				06/30/2010	M 21	1955 PPM		07/07/2010	VLV~TBO N	2815.00	
				07/07/2010	M21	2815 PPM		07/07/2010	VLV-TBO N	2730.00	
				07/07/2010	M21	2730 PPM		-			
				08/24/2010	M21	144 PPM		09/21/2010	VLV-CL	460.00	
			•	09/21/2010	M21	460 PPM	<u> </u>			-	
				09/21/2010	M21	156 PPM					
				10/03/2010	M21	74.22 PPM		11/29/2010	VLV-RV	2.00	
				11/29/2010	M21	2 PPM					
27200	VALVE/ BALL	0.25	SMPLSTAT 5FT N OF 9E35 KIND WITH TAG 33459	04/22/2009	M21	12500 PPM	VLV-BON	04/22/2009	VLV-TBO N		
				05/28/2009	M21	954 PPM		05/28/2009	VLV-TBO N	986.00	
				06/29/2009	M21	986 PPM		06/29/2009	VLV-TBO N	900.00	
			•	06/29/2009	M21	900 PPM					
				07/20/2009	M21	16 PPM					
				08/17/2009	M21	36 PPM	·-··				
				09/14/2009	M21	37 PPM				-	
				10/14/2009	M21	42 PPM	• • • •				
				11/20/2009	M21	43 PPM					
				12/10/2009	M21	41 PPM					•
				01/12/2010	M21	21 PPM				-	
				02/02/2010	M21	3 PPM					•
				03/23/2010	M21	46.49 PPM	<u>-</u>	-	_ .		

Program: NSPS-VV

Process U	nit : 09										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
···			·					,			
				05/23/2010	M21	26.37 PPM					
				06/30/2010	M21	37.23 PPM		07/07/2010	VLV-TBO N	434.00	
				07/07/2010	M21	434 PPM			-		
				07/07/2010	M21	64.78 PPM					
				08/24/2010	M21	47.85 PPM					
				09/21/2010	M21	181 PPM					
				10/03/2010	M21	19.44 PPM		11/29/2010	VLV-RV	4.00	
				11/29/2010	M21	4 PPM					
32664	VALVE/ GATE	6.00	9V40 TOP PLTF @ 6" LINE OVSL	OUT OF TOP OF							
				10/07/2011	M21	12000 PPM	VLV-PKG	10/11/2011	VLV-TP	54.00	
				10/11/2011	M21	54 PPM					10/11/201

	Process Unit 09 Sur	nmary	
	Component Count	Leak Count	
Total in Group	13	17	
Total Valves	9	10	
Total Pumps	3	5	
Total Compressors	1	2	
Total Relief Valves	0	0	
Total Connectors	0	0	
Total Agitators	0	0	
Total Other Equipment	0	0	

Program: NSPS-VV

Pro	cess	Un	it	:	11
	~~~	$\sim$ 11	,,,		

Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
24461	VALVE/ CTRL	4.00	10FT SOUTH OF FCCU 11PC0980	CHRG HEATER					•		,
				12/13/2011	M21	25200 PPM	VLV-PKG	12/13/2011	VLV-CL	21900,00	
				12/13/2011	M21	21900 PPM		12/14/2011	VLV-TP	480.00	·
				12/14/2011	M21	480 PPM					12/14/2011

•			
	Process Unit 11 Sur	nmary	
	Component Count	Leak Count	
Total in Group	1	1	
Total Valves	1	1	
Total Pumps	0	0	
Total Compressors	0	0	
Total Relief Valves	0	0	
Total Connectors	0	0	
Total Agitators	0	0	
Total Other Equipment	0	0	

Program: NSPS-VV

					Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed
13835	VALVE	0.25	SMPL PNL 10FT W OF 12P19	90A - TOP 3WAY							''''
				11/10/2011	M21	82600 PPM	VLV-SCR	11/10/2011	VLV-TFIT T	791.00	
				11/10/2011	M21	791 PPM					11/10/201
24342	VALVE/ GATE	0,50	EL 7 FT 1 FT E OF 12P137 - I REPLACEMENT IN KIND WIT		* Placed or	n Delay for Turnard	ound on 08/31	/2007 Remove	d From Turr	naround List or	11/23/2010
				08/18/2007	M21	26200 PPM	VLV-SCR	08/18/2007	VLV-WO	26200.00	
				08/18/2007	M21	26200 PPM					•
				08/18/2007	M21	26200 PPM					•
				09/27/2007	M21	14900 PPM				-	
				10/31/2007	M21	801 PPM		•			
				11/05/2007	M21	88000 PPM		11/05/2007	VLV-TPL G	60000.00	
				11/05/2007	M21	60000 PPM					
				11/29/2007	M21	60000 PPM	-			•	
				12/28/2007	M21	91 PPM		01/31/2008	VLV-TFIT T	4850.00	
				01/31/2008	M21	4850 PPM					
				02/07/2008	M21	1521 PPM		02/07/2008	VLV-TFIT T	2269.00	
				02/07/2008	M21	2269 PPM					
				05/29/2008	M21	35 PPM					
				08/13/2008	M21	23 PPM					
				09/11/2008	M21	7 PPM					
				10/21/2008	<b>M2</b> 1	3642 PPM		10/21/2008	VLV-TPL G	584.00	
				10/21/2008	M21	584 PPM	<del></del>	· · · · · ·			
				11/24/2008	M21	128400 PPM		11/24/2008	VLV-TPL G	218400.00	
				11/24/2008	M21	218400		<u> </u>			

Program: NSPS-VV

Process I	Jnit : 12-21				<del></del>	<del></del>	·			· · · · · ·	12/3 1/2011
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
						РРМ					
				12/17/2008	M21	8 PPM			<del>_</del> -	<u> </u>	
				01/27/2009	M21	106 PPM					<del></del>
				02/05/2009	M21	991559 PPM		02/05/2009	VLV-TPL G	990016.00	:
		÷		02/05/2009	M21	990016 PPM		»			
				03/02/2009	M21	3552 PPM		03/02/2009	VLV-TFIT T	3421.00	
				03/02/2009	M21	3421 PPM			· · ·	<del>-</del> .	_ <del>_</del>
				04/30/2009	M21	12 PPM	_		<del></del>		
				05/04/2009	M21	126200 PPM	-	05/04/2009	VLV-TPL G	124000.00	
				05/04/2009	M21	124000 PPM					<del></del>
				06/22/2009	M21	17 PPM			-		
				07/31/2009	M21	13 PPM				-	-
				08/05/2009	M21	28 PPM					
				09/23/2009	M21	78400 PPM		09/23/2009	VLV-TPL G	22300.00	
				09/23/2009	M21	22300 PPM				<del></del>	<del></del>
				10/28/2009	M21	2017 PPM		10/28/2009	VLV-TPL G	4520.00	
				10/28/2009	M21	4520 PPM	<u>.                                    </u>		-	<del></del>	<del></del>
				11/17/2009	M21	21333 PPM		11/17/2009	VLV-TPL G	19884.00	
				11/17/2009	M21	19884 PPM					
				12/30/2009	M21	14230 PPM		12/30/2009	VLV-TPL	18962.00	
				12/30/2009	M21	18962 PPM					
				01/26/2010	M21	11520 PPM	<del>-</del>	01/26/2010	VLV-TIG	8963.00	

Program: NSPS-VV

Process L	Jnit: 12-21										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
				01/26/2010	) <b>M2</b> 1	8963 PPM					
				02/02/2010	) M21	51 PPM					
				03/10/2010	) M21	19.46 PPM		04/14/2010	VLV-TPL G	4360.00	
				04/14/2010	) M21	4360 PPM					
				05/12/2010	) M21	8505 PPM				<del></del>	
				06/29/2010	M21	1.75 PPM		07/30/2010	VLV-TPL G	3443.00	
				07/30/2010	) M21	3443 PPM		07/30/2010	VLV-TPL G	2148.00	
				07/30/2010	M21	2148 PPM		08/17/2010	VLV-TPL G	27300.00	
				08/17/2010	M21	27300 PPM	· ·	08/17/2010	VLV-TPL G	15800.00	
				08/17/2010	M21	15800 PPM		09/24/2010	VLV-TP	897.00	
				09/24/2010	M21	897 PPM					
				09/24/2010	M21	187 PPM			<del></del>		
				10/09/2010	M21	58.74 PPM		11/23/2010	VLV-TP	2.00	
				11/23/2010	M21	2 PPM					<u>.</u>
24343	VALVE/ GATE	0.50	EL 7 FT 1 FT E OF 12P137 - S REPLACEMENT IN KIND WIT		* Placed on	Delay for Turnard	ound on 08/31/2	2007 Remove	d From Turn	around List on	11/23/2010
				08/18/2007	M21	36300 PPM	VLV-PLUG				
				08/18/2007	M21	36300 PPM		08/18/2007	VLV-TPL G	36300.00	
				08/18/2007	M21	36300 PPM				•	<del></del>
				09/27/2007	M21	156200 PPM			-		
				10/31/2007	M21	42000 PPM					
				11/05/2007	M21	89300 PPM		11/05/2007	VLV-TPL G	357400.00	·

Program: NSPS-VV

Process L	Init : 12-21										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
				11/05/200	7 M21	357400 PPM					
				12/28/200	7 M21	33900 PPM		12/28/2007	VLV-TPL G	13900.00	
				12/28/200	7 <b>M2</b> 1	13900 PPM	<del>.</del>	01/31/2008	VLV-TFIT T	24000.00	-
				01/31/200	8 M21	24000 PPM	<del></del>	<u>-</u>			
				02/07/200	8 M21	30500 PPM		02/07/2008	VLV-TFIT T	58600.00	
				02/07/200	8 M21	58600 PPM		03/31/2008	VLV-WO W	588600.00	
				03/31/200	8 M21	588600 PPM		<u> </u>			-
				04/28/200	8 M21	20500 PPM		04/28/2008	VLV-TPL G	14800.00	
				04/28/200	8 M21	14800 PPM					
				05/29/200	8 M21	133 PPM					
				06/26/200	8 <b>M</b> 21	12600 PPM		06/26/2008	VLV-TPL G	22000.00	
				06/26/200	8 M21	22000 PPM	_	<u>.</u>	_		
				07/10/200	8 <b>M</b> 21	3 PPM					
				08/13/200	8 M21	115 PPM					
				09/11/200	8 M21	7 PPM					
				10/21/200	8 M21	59500 PPM		10/21/2008	VLV-TPL G	84800.00	
				10/21/200	8 M21	84800 PPM					_
				11/24/200	8 M21	149200 PPM		11/24/2008	VLV-TPL G	147000.00	
				11/24/200	8 M21	147000 PPM				•	

Program: NSPS-VV

	Init:12-21				Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Complete
				12/17/2008	M21	10 PPM					
				01/27/2009	M21	35 PPM					
				02/05/2009	M21	855000 PPM	-	02/05/2009	VLV-TPL G	851999.00	
				02/05/2009	M21	851999 PPM					
				03/20/2009	M21	544 PPM		03/20/2009	VLV-TGA UGE	753600.00	
				03/20/2009	M21	753600 PPM					
				04/30/2009	M21	24 PPM					
	·			05/04/2009	M21	302186 PPM		05/04/2009	VLV-TPL G	168236.00	
				05/04/2009	M21	168236 PPM					
				06/22/2009	M21	15 PPM				· · · · · ·	
				07/31/2009	M21	15 PPM				_	
				08/05/2009	M21	26300 PPM		08/05/2009	VLV-TPL G	8848.00	
				08/05/2009	M21	8848 PPM					
				09/23/2009	) M21	33900 PPM		09/23/2009	VLV-TPL G	2363.00	
				09/23/2009	M21	2363 PPM		••••	<u></u> -	<u> </u>	
				10/28/2009	M21	948 PPM		10/28/2009	VLV-TPL G	1647.00	_
				10/28/2009	M21	1647 PPM	<u></u>	<u> </u>			
				11/17/2009	M21	66000 PPM		11/17/2009	VLV-TGA UGE	44569.00	<del></del> -
				11/17/2009	M21	44569 PPM		<del></del>	- <del></del>	<u> </u>	
		÷		12/30/2009		8200 PPM		12/30/2009	VLV-TPL	6415.00	

Program: NSPS-VV

Process L	Jnit: 12-21						<b>.</b> .				
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
				12/30/2009	M21	6415 PPM					
				01/26/2010	M21	7233 PPM	<del>.</del>	01/26/2010	VLV-TPL	5122.00	
				01/26/2010	M21	5122 PPM					
				02/02/2010		17 PPM				<del></del>	-
				03/10/2010	M21	18.99 PPM		04/14/2010	VLV-TPL G	20000.00	<del></del>
				04/14/2010	M21	20000 PPM					
				05/12/2010	M21	1317 PPM			T		
				06/29/2010	M21	185 PPM					
				07/28/2010	M21	73100 PPM		08/17/2010	VLV-TPL G	4321.00	
				08/17/2010	M21	4321 PPM		09/24/2010	VLV-TFIT T	3601.00	
				09/24/2010	M21	3601 PPM	<del></del>		<del></del>		
				09/24/2010	M21	2843 PPM	_				
				10/09/2010	M21	51.32 PPM		11/23/2010	VLV-RV	2.00	· · · · · · · · · · · · · · · · · · ·
				11/23/2010	M21	2 PPM		••			
29171	PUMP	0.00	12P143B WEST OF 12V35							-	<b>=</b> -:
				11/22/2011	VIS	F		11/22/2011	PMP-WS E	0.00	
				11/22/2011	VIS	F		11/28/2011	PMP-WS E	75.00	
				11/28/2011	M21	75 PPM	<del> </del>				
				11/28/2011	VIS	P					11/28/2011
3-00280	PUMP	0.75	PUMP 12P120	·		<del></del>		<del></del>		<del></del> -	
				10/18/2011	M21	10100 PPM	PMP-SEAL	10/18/2011	PMP-WS E	8415.00	
				10/18/2011	M21	8415 PPM		10/18/2011	PMP-WS	1387.00	••

Program: NSPS-VV

Tag Number   Part / Type   Size   Location   Monitor Date   Part   Monitor Date   Part   Monitor Date   Part   Reading   Repair   Repair   Reading   Part   Part   Reading   Reading   Part   Reading   Part   Part   Reading   Part   Reading   Part   Part   Part   Part   Reading   Part	Process U	Jnit: 12-21		- <b></b> -					-			
PUMP   0.75   PUMP 12P120   12/15/2011   M21   33000 PPM   PMP-SEAL   12/15/2011   PMP-WS   3600.00	Tag Number	Part / Type	Size	Location	Monitor Date		PPM Reading					
1/16/2011   M21   3000 PPM   PMP-SEAL   1/19/2011   PMP-WS   3600 PPM   PMP-SEAL   1/19/2011   PMP-WS   3600 PPM   PMP-SEAL   PMP-WS   P					10/18/2011	<b>M</b> 21	1387 PPM			•		10/18/2011
3.00444   VALVE/ CTRL   2.00   12P185/166 CLP12FC0308   11/10/2011   M21   31600 PPM   VLV-PKG   11/10/2011   VLV-CL   45700 00     11/10/2011   M21   45700 PPM   11/15/2011   VLV-CL   38.00     3.01670   VALVE/ NEEDLE   11/11/2011   M21   1800 PPM   VLV-SCR   11/11/2011   VLV-CL   13500.00     11/15/2011   M21   13600 PPM   VLV-SCR   11/11/2011   VLV-CL   13500.00     11/15/2011   M21   13500 PPM   VLV-SCR   11/11/2011   VLV-TFT   15000 00     11/15/2011   M21   15000 PPM   VLV-SCR   11/11/2011   VLV-TFT   15000 00     11/15/2011   M21   15000 PPM   11/15/2011   VLV-TFT   15000 00     11/15/2011   M21   15000 PPM   VLV-PKG   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21   08/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007   08/21/2007	3-00280	PUMP	0.75	PUMP 12P120	12/15/2011	<b>M</b> 21	33000 PPM	PMP-SEAL	12/19/2011		3600.00	
					12/19/2011	M21	3600 PPM					12/19/2011
11/10/2011   M21   4570 PPM   11/15/2011   VLV-CL   38.00     11/15/2011   M21   38 PPM   VLV-SCR   11/15/2011   VLV-CL   38.00     11/15/2011   M21   1800 PPM   VLV-SCR   11/11/2011   VLV-CL   13500.00     11/15/2011   M21   13500 PPM   VLV-SCR   11/11/2011   VLV-TFT   15000 00     11/15/2011   M21   15000 PPM   VLV-SCR   11/11/2011   VLV-TFT   15000 00     11/2011   M21   15000 PPM   11/2011   VLV-TFT   15000 00     11/2011   M21   15000 PPM   11/2011   VLV-RFT   15000 00     11/2011   M21   15000 PPM   11/2011   VLV-RFT   15000 00     11/2011   M21   14000 PPM   11/2011   VLV-RFT   15000 00     11/2011   M21   14000 PPM   11/2011   VLV-RFT   15000 00     11/2011   VLV-RFT   15000 00     11/2011   M21   14000 PPM   11/20101   VLV-RFT   15000 00     11/2011   VLV-RFT   15000 00     11/2012011   VLV-RFT   15000 00     11/2012011	3-00444	VALVE/ CTRL	2,00	12P165/166 CLP12FC0308								
11/15/2011   M21   38 PPM   11/15/2011   VLV-CL   13500,00					11/10/2011	M21	31600 PPM	VLV-PKG	11/10/2011	VLV-CL	45700.00	
3-01670   NEDLE					11/10/2011	M21	45700 PPM		11/15/2011	VLV-CL	38.00	
NEEDLE					11/15/2011	M21	38 PPM	• •				11/15/2011
11/11/2011   M21   13500 PPM   11/15/2011   VLV-TFIT   15000 00 T T   11/15/2011   VLV-TFIT   15000 00 T T   11/15/2011   M21   15000 PPM   11/21/2011   VLV-RFIT   34.00 T T   11/21/2011   M21   34 PPM   11/21/2011   VLV-RFIT   34.00 T T T   15000 00 T T   11/21/2011   M21   34 PPM   11/21/2011   M21   34 PPM   11/21/2011   M21   M2	3-01670		0.25	G 1/10 @ 12V26 Leve! 2/5 - f	North sIDE							
T					11/11/2011	M21	11800 PPM	VLV-SCR	11/11/2011	VLV-CL	13500.00	
T   T   T   T   T   T   T   T   T   T					11/11/2011	M21	13500 PPM		11/15/2011		15000.00	
3-01822 VALVE/ GATE 3.00 1/1 21V3 REPLACEMENT IN KIND WITH TAG *** Placed on Delay for Turnaround on 09/05/2007 Removed From Turnaround List on 11/23/2010  8/21/2007 M21 184900 VLV-PKG 08/21/2007 VLV-TP 184900.00  8/21/2007 M21 184900  8/21/2007 M21 184900  8/21/2007 M21 38000 PPM 08/28/2007 VLV-INJ 39000.00  8/28/2007 M21 39000 PPM 08/28/2007 VLV-INJ 38000.00  8/28/2007 M21 38000 PPM  8/28/2007 M21 38000 PPM  8/28/2007 M21 38000 PPM  8/28/2007 M21 38000 PPM  10/31/2007 M21 1938 PPM  11/06/2007 M21 601 PPM 11/06/2007 VLV-TIG 1334.00					11/15/2011	M21	15000 PPM		11/21/2011		34.00	
33424  08/21/2007 M21 184900 VLV-PKG 08/21/2007 VLV-TP 184900.00 PPM  08/21/2007 M21 184900 PPM  08/21/2007 M21 38000 PPM 08/28/2007 VLV-INJ 39000 00 08/28/2007 M21 39000 PPM 08/28/2007 VLV-INJ 38000.00 08/28/2007 M21 38000 PPM 09/12/2007 M21 38000 PPM 09/12/2007 M21 38000 PPM 10/31/2007 M21 38000 PPM 11/06/2007 M21 1938 PPM 11/06/2007 VLV-TIG 1334.00					11/21/2011	M21	34 PPM					11/21/2011
PPM  08/21/2007 M21 184900 PPM  08/21/2007 M21 38000 PPM 08/28/2007 VLV-INJ 39000 00  08/28/2007 M21 39000 PPM 08/28/2007 VLV-INJ 38000 00  08/28/2007 M21 38000 PPM  09/12/2007 M21 38000 PPM  10/31/2007 M21 1938 PPM  11/06/2007 M21 601 PPM 11/06/2007 VLV-TIG 1334.00	3-01822	VALVE/ GATE	3.00		KIND WITH TAG **	* Placed or	n Delay for Turnard	ound on 09/05/2	2007 Remove	d From Turr	naround List on	
PPM         08/21/2007       M21       38000 PPM       08/28/2007       VLV-INJ       39000 00         08/28/2007       M21       39000 PPM       08/28/2007       VLV-INJ       38000 00         08/28/2007       M21       38000 PPM         09/12/2007       M21       38000 PPM         10/31/2007       M21       1938 PPM         11/06/2007       M21       601 PPM       11/06/2007       VLV-TIG       1334.00				·	08/21/2007	M21		VLV-PKG	08/21/2007	VLV-TP	184900.00	
08/28/2007       M21       39000 PPM       08/28/2007       VLV-INJ       38000.00         08/28/2007       M21       38000 PPM         09/12/2007       M21       38000 PPM         10/31/2007       M21       1938 PPM         11/06/2007       M21       601 PPM       11/06/2007       VLV-TIG       1334.00					08/21/2007	M21					<u> </u>	
08/28/2007     M21     38000 PPM       09/12/2007     M21     38000 PPM       10/31/2007     M21     1938 PPM       11/06/2007     M21     601 PPM     11/06/2007     VLV-TIG     1334.00					08/21/2007	M21	38000 PPM		08/28/2007	VLV-INJ	39000.00	
09/12/2007     M21     38000 PPM       10/31/2007     M21     1938 PPM       11/06/2007     M21     601 PPM     11/06/2007     VLV-TIG     1334.00					08/28/2007	M21	39000 PPM		08/28/2007	VLV-INJ	38000.00	
10/31/2007 M21 1938 PPM 11/06/2007 M21 601 PPM 11/06/2007 VLV-TIG 1334.00					08/28/2007	M21	38000 PPM					
10/31/2007 M21 1938 PPM 11/06/2007 M21 601 PPM 11/06/2007 VLV-TIG 1334.00					09/12/2007	M21	38000 PPM					
11/06/2007 M21 601 PPM 11/06/2007 VLV-TIG 1334.00					10/31/2007		1938 PPM					·
11/06/2007 M21 1334 PPM					11/06/2007	M21	601 PPM		11/06/2007	VLV-TIG	1334.00	
					11/06/2007	M21	1334 PPM					-

Program: NSPS-VV

ag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Complete
				11/29/2007	VIS	F				<u> </u>	
				11/29/2007	M21	9520 PPM					
				12/07/2007	VIS	P	<del></del>				_ <del></del>
				12/28/2007	M21	155 PPM		<del> </del>			
				02/07/2008	M21	606 PPM		02/07/2008	VLV-TIG	789.00	
				02/07/2008	M21	789 PPM	<del></del>				
				05/23/2008	M21	898 PPM		05/23/2008	VLV-TGA UGE	1833.00	
				05/23/2008	M21	1833 PPM					
				08/13/2008	M21	1435 PPM		08/13/2008	VLV-TGA UGE	404.00	
				08/13/2008	M21	404 PPM					<del> </del>
				09/11/2008	M21	30 PPM				<u> </u>	
				10/21/2008	M21	1211 PPM		10/21/2008	VLV-TGA UGE	1072.00	
				10/21/2008	M21	1072 PPM					
				11/11/2008	M21	18 PPM					
				12/17/2008	M21	8 PPM					
				01/27/2009	M21	29 PPM					
				02/17/2009	M21	850 PPM		02/17/2009	VLV-TGA UGE	1110.00	
				02/17/2009	M21	1110 PPM					
				03/20/2009	M21	2019 PPM		03/20/2009	VLV-TGA UGE	1513.00	
				03/20/2009	M21	1513 PPM				<del></del>	
		٠		04/30/2009	M21	23 PPM					
				05/06/2009	M21	2605 PPM		05/06/2009	VLV-TGA UGE	3027.00	
				05/06/2009	M21	3027 PPM	<del> </del>				

Program: NSPS-VV

Process L	Jnit : 12-21			<u> </u>							
Tag Number	Part / Type	Size	Location	Monitor Date	Test Metho	d PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
				06/22/	2009 M2 ²	15 PPM					
				07/31/	2009 M2 ⁻	897 PPM		07/31/2009	VLV-TGA UGE	923.00	
				07/31/	2009 M2	923 PPM					
				08/06/	2009 M2	1438 PPM		08/06/2009	VLV-TGA UGE	2226.00	
				08/06/	2009 M2	2226 PPM				-	
				09/23/	2009 M2	1469 PPM		09/23/2009	VLV-TGA UGE	705.00	
				09/23/	2009 M2	705 PPM					
				10/28/	2009 M2	6 PPM					
				11/17/	2009 M2	657 PPM		11/17/2009	VLV-TGA UGE	772.00	
				11/17/	2009 M2 ⁻	772 PPM				····	<del></del>
				12/30/	2009 M2	909 PPM		12/30/2009	VLV-TIG	652.00	<del></del>
				12/30/	2009 M2	652 PPM		<u>-</u>			
				01/26/	2010 M2	547 PPM		01/26/2010	VLV-TIG	544.00	
				01/26/	2010 M2	544 PPM					
				02/10/	2010 M2	128 PPM			<u> </u>		
				03/10/	2010 M2	27.39 PPM		04/14/2010	VLV-TP	2200.00	
				04/14/	2010 M2	2200 PPM			_		
				05/10/	2010 M2	653 PPM		<u></u>		-	
				06/29/	2010 M2	187 PPM		07/30/2010	VLV-TP	571,00	
				07/30/	2010 M2	571 PPM		07/30/2010	VLV-TP	625.00	
				07/30/	2010 M2	625 PPM		08/17/2010	VLV-TP	518.00	
				08/17/	2010 M2	518 PPM		08/17/2010	VLV-TP	450.00	
				08/17/	2010 M2	450 PPM		· · ·			
				09/24/	2010 <b>M</b> 2	1.8 PPM		10/07/2010	VLV-TP	591.00	
				10/07/	2010 M2	591 PPM					

Program: NSPS-VV

Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
			<u>.</u>	·					***		
				10/07/2010	M21	543 PPM		11/23/2010	VLV-RV	2.00	
				11/23/2010	M21	2 PPM				-	
33537	VALVE/ CTRL	4.00	CTRL LP E OF 12C8 PLTFM 12UC0418 *** Placed on Delay for Turnaround on 11/22/2011								
				11/10/2011	M21	11500 PPM	VLV-PKG	11/10/2011	VLV-CP	40800.00	
				11/10/2011	M21	40800 PPM		11/15/2011	VLV-TP	1400.00	
				11/15/2011	M21	1400 PPM					11/15/2011
34167	VALVE	2.00	12V26 4/0 SW SIDE - 12FC03 DEPROP NET OVHD LIQUID	06 - SATS			-				
				11/11/2011	<b>M2</b> 1	37300 PPM	VLV-PKG	11/15/2011	VLV-CL	92.00	
				11/15/2011	M21	92 PPM	<u></u>	:			11/15/2011
34348	VALVE/ BLOCK	3.00	12V36 LVL 1 CL BLK VLV	· · · · · · · · · · · · · · · · · · ·		·					
				11/11/2011	M21	32400 PPM	VLV-PKG	11/11/2011	VLV-TP	92.00	
				11/11/2011	M21	92 PPM					11/11/2011

	Process Unit 12-21 Summary						
	Component Count	Leak Count					
Total in Group	11	12					
Total Valves	9	9					
Total Pumps	2	3					
Total Compressors	0	0					
Total Relief Valves	0	0					
Total Connectors	0	0					
Total Agitators	0	0					
Total Other Equipment	0	0					

Program: NSPS-VV

Process L	Jnit: 13										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
13854	VALVE	0.50	DEETH REFLUX D.P. CELL AN	D							
			ORFICE-13-13-13-13	12/13/2011	M21	49100 PPM	VLV-PKG	12/14/2011	VLV-TP	45.00	
			_	12/14/2011	<b>M2</b> 1	45 PPM					12/14/2011
13864	VALVE/ NEEDLE	0.25	13E4 SMPL PNL			-		,			· .
			_	12/07/2011	M21	36300 PPM	VLV-PKG	12/07/2011	VLV-CL	34100.00	
			_	12/07/2011	M21	34100 PPM		12/14/2011	VLV-TP	7.00	
				12/14/2011	M21	7 PPM					12/14/2011
14272	VALVE	0.75	N SDE 13C20	12/14/2011	M21	312200 PPM	VLV-PLUG	12/14/2011	VLV-TPL G	29800.00	
			-	12/14/2011	M21	29800 PPM		12/15/2011	VLV-TPL G	12.00	
			-	12/15/2011	M21	12 PPM	<u> </u>		-		12/15/2011
14994	VALVE	0.75	W SDE 13V5 UP LADDER	•							
			_	11/15/2011	M21	43400 PPM	VLV-PKG	11/15/2011	VLV-CL	84100.00	
			_	11/15/2011	M21	84100 PPM		11/16/2011	VLV-TP	67.00	
			_	11/16/2011	M21	67 PPM					11/16/2011
15059	VALVE	2.00	13E4 CTRL LP 13FC469	12/07/2011	M21	101000 PPM	VLV-SCR	12/07/2011	VLV-CL	30300.00	
			-	12/07/2011	M21	30300 PPM		12/14/2011	VLV-TFIT T	22.00	
			_	12/14/2011	M21	22 PPM					12/14/2011
15777	VALVE/ GATE	0.75	L1 13V2	40/42/2044	B 404	90600 DDM	VIV BLUC	40/40/0044	VIVTDI	40.96	
				12/13/2011	M21	80600 PPM	VLV-PLUG	12/13/2011	VLV-TPL G	40.86	
			<b>-</b>	12/13/2011	M21	40.86 PPM					12/13/2011
19941	VALVE/ CTRL	1.00	CNTLP BTW @ 13P264 & 13P2	61 13FC405 11/15/2011	M21	79200 PPM	VLV-CONN	11/15/2011	VLV-CL	45300.00	

Program: NSPS-VV

Process U	Init: 13										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
19941	VALVE/ CTRL	1.00	CNTLP BTW @ 13P264 & 13P.	261 13FC405			,				
							EC				
				11/15/2011	M21	45300 PPM		11/16/2011	VLV-TFL G	1700.00	
			-	11/16/2011	M21	1700 PPM		11/16/2011	VLV-TFL G	402.00	
			•	11/16/2011	M21	402 PPM			<del></del>	-	11/16/2011
31879	VALVE	1.00	TOP 13V2	**	* Placed or	n Delay for Turnard	ound on 09/20/	/2011			
				09/14/2011	M21	123700 РРМ	VLV-FLG	09/14/2011	VLV-TFL G	23500.00	
			<del>-</del>	09/14/2011	M21	23500 PPM		10/18/2011	VLV-CL	12900.00	
			•	10/18/2011	M21	12900 PPM	<del></del>				=.
			•	10/18/2011	M21	80300 PPM					
			-	11/15/2011	M21	2.88 PPM					
			-	12/13/2011	M21	3.88 PPM				<del></del>	
40363	VALVE/ BALL	0.75	E SDE 13E3A BTM SG								
				12/13/2011	M21	50700 PPM	VLV- SGL	12/13/2011	VLV-CL	245000.00	
			_	12/13/2011	M21	245000 PPM		12/14/2011	VLV-TCO N	101.00	
			-	12/14/2011	M21	101 PPM	•				12/14/2011
41355	PUMP	0.00	13P294				<del></del>				
				12/13/2011	VIS	F	PMP-SCR	12/13/2011	PMP-TFI	29600.00	
			-	12/13/2011	M21	29600 PPM					
			<del>-</del>	12/13/2011	M21	3720 PPM					
			-	12/13/2011	VIS	P					12/13/2011

Program: NSPS-VV

Process U	Jnit: 13	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
				Process Unit	13 Sumn	ary					
				Component Cou	nt	Leak Count					
			Total in Group	10		10					
			Total Valves	9		9					
			Total Pumps	1		1					
			Total Compressors	0		0					
		İ	Total Relief Valves	0		0 .					
			Total Connectors	0		0					
			Total Agitators	0		0					
			Total Other Equipment	0		0					

Program: NSPS-VV

Process U	Init : 14										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
23567	VALVE	0.75	S SDE 14V39B						-		
23307	VALVL	0.10	0 002 111000	10/05/2011	M21	14300 PPM	VLV-CONN EC	10/11/2011	VLV-TCO N	6.00	
			-	10/11/2011	M21	6 PPM	_				10/11/2011
24010	VALVE	0.50	SEAL POT 14P9A							<u> </u>	
2-010				10/04/2011	M21	29500 PPM	VLV-PKG	10/11/2011	VLV-TP	13.00	
			-	10/11/2011	M21	13 PPM					10/11/2011
27113	VALVE/ GATE	0.75	EAST END 14V32 BOOSTER OR ROADWAY ACROSS FROM BOWATER BUILDING UNDER CO	OILER FEED							
				10/05/2011	M21	11400 PPM	VLV-PLUG	10/05/2011	VLV-TPL G	10100.00	
			-	10/05/2011	M21	10100 PPM	_	10/07/2011	VLV-TPL G	185.00	
			•	10/07/2011	M21	185 PPM					10/07/2011
4-00822	VALVE	0.75	BLEEDER TOP EXCHANGER FEED tubE SIDE OVHD	SR DEBUT			-				
				10/28/2011	M21	13200 PPM	VLV-PLUG	10/28/2011	VLV-TPL G	5464.00	
			•	10/28/2011	M21	5464 PPM		10/28/2011	VLV-TPL G	36,00	
			•	10/28/2011	M21	36 PPM	<del></del>	· <u>-</u>			10/28/2011
4-00866	VALVE	0.75	E SDE 14V6 @ SG UP LADDE	ER	· · · · · ·		<del></del> -		<u>-</u>		
		٠	•	10/05/2011	M21	10800 PPM	VLV-TUB	10/05/2011	VLV-CL	18900.00	
				10/05/2017	1 M21	18900 PPM		10/11/2011	VLV-TFIT T	289.00	
				10/11/201	1 M21	289 PPM					10/11/201

Program: NSPS-VV

Process L	Jnit: 14										
				Maniton Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
Tag Number	Part / Type	Size	Location	Monitor Date	Method	Privi Reading	Leaking		·	- (caaiiig	Oompicica
				Process Unit	14 Sumn	nary					
				Component Cour	nt	Leak Count					
			Total in Group	5		5					
			Total Valves	5		5					
			Total Pumps	0		0					
			Total Compressors	0		0					
			Total Relief Valves	0		0					
			Total Connectors	0		0					
			Total Agitators	0		0					
			Total Other Equipment	0		0					

Program: NSPS-GGGA

Process l	J	ni	t	•	1	6
-----------	---	----	---	---	---	---

Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
6530	VALVE/ CTRL	4.00	CV 16FC0610 EAST OF 16H3	<del></del>							
				09/29/2011	M21	539 PPM	VLV-PKG	09/29/2011	VLV-CL	773,00	
	•			09/29/2011	M21	773 PPM		10/05/2011	VLV-TP	255.00	
				10/05/2011	M21	255 PPM					10/05/2011
6530	VALVE/ CTRL	4.00	CV 16FC0610 EAST OF 16H3								-
				11/08/2011	M21	1018 PPM	VLV-PKG	11/08/2011	VLV-CL	1153.00	
				11/08/2011	M21	1153 PPM		11/09/2011	VLV-CL	109.00	
				11/09/2011	M21	109 PPM	•			<del></del>	11/09/2011
6530	VALVE/ CTRL	4.00	CV 16FC0610 EAST OF 16H3			···					
				12/15/2011	<b>M</b> 21	2883 PPM	VLV-PKG	12/15/2011	VLV-CL	1908.00	
				12/15/2011	M21	1908 PPM	_	12/19/2011	VLV-CL	311.00	
				12/19/2011	M21	311 PPM					12/19/2011
6545	VALVE/ CTRL	4.00	CL 16FC0611 EAST OF 16H3					·			
				10/18/2011	M21	1279 PPM	VLV-PKG	10/18/2011	VLV-CP	1267.00	
				10/18/2011	M21	1267 PPM		10/20/2011	VLV-CL	294.00	
				10/20/2011	M21	294 PPM					10/20/2011
6545	VALVE/ CTRL	4.00	CL 16FC0611 EAST OF 16H3			<u>.</u>					
				11/08/2011	M21	595 <b>PPM</b>	VLV-PKG	11/08/2011	VLV-CL	604.00	
				11/08/2011	M21	604 PPM		11/09/2011	VLV-CL	39.00	
				11/09/2011	M21	39 PPM		· ·-·	-		11/09/2011
6545	VALVE/ CTRL	4.00	CL 16FC0611 EAST OF 16H3					•			
				12/15/2011	M21	838 PPM	VLV-PKG	12/15/2011	VLV-CL	1183.00	
				12/15/2011	M21	1183 PPM	•	12/19/2011	VLV-CP	137.00	
			•	12/19/2011	M21	137 PPM					12/19/2011
6570	VALVE/ BLEEDER	0.75	10' EAST OF 16H3 REBOILER LOOP 16PC0518	ON CONTROL							· • • • • • • • • • • • • • • • • • • •
				11/08/2011	<b>M2</b> 1	6655 PPM	VLV-PLUG	11/08/2011	VLV-TPL G	5481.00	
			·	11/08/2011	M21	5481 PPM		11/08/2011	VLV-TPL G	28.00	

Program: NSPS-GGGA

Process U	Jnit: 16									•	
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
-				11/09/2011	M21	28 PPM		11/09/2011	VLV-TPL G		11/09/2011
6608	VALVE	4.00	CV 16FC0613 EAST OF 16H3								
				09/29/2011	M21	1065 PPM	VLV-PKG	09/29/2011	VLV-CL	1053.00	
				09/29/2011	M21	1053 PPM		10/05/2011	VLV-CL	96.00	
				10/05/2011	M21	96 PPM					10/05/2011
6608	VALVE	4.00	CV 16FC0613 EAST OF 16H3			4000 DDIA	VIV DVO		\#\\ O\	4070.00	
				12/15/2011		1263 PPM	VLV-PKG	12/15/2011	VLV-CL	1672.00	
				12/15/2011		1672 PPM		12/19/2011	VLV-CL	370.00	
6734	VALVE/	0.75	CTRL LOOP 10' SOUTHWES'	12/19/2011 F OF 16V8	M21	370 PPM					12/19/2011
	BLEEDER			11/08/2011	M21	65700 <b>PPM</b>	VLV-PLUG	11/08/2011	VLV-TPL G	14100.00	
				11/08/2011	M21	14100 PPM		11/11/2011	VLV-TPL G	31.00	
				11/11/2011	M21	31 PPM					11/11/2011
6860	PUMP	0.00	16P99 SOUTH OF 16V2								
				10/18/2011	M21	2004 PPM	PMP-SCR	10/18/2011	PMP-TFI	2026,00	
				10/18/2011	M21	2026 PPM		10/19/2011	PMP-TFI	1086.00	
				10/19/2011	M21	1086 PPM					10/19/2011
6927	VALVE/ BLEEDER	1.00	WEST OF 16V2 ON PLATFOR	RM		· '					
				09/29/2011	M21	4245 PPM	VLV-PKG	09/29/2011	VLV-TP	3929.00	
				09/29/2011	M21	3929 PPM		10/05/2011	VLV-TP	126.00	
				10/05/2011	M21	126 PPM				<u> </u>	10/05/2011
6927	VALVE/ BLEEDER	1.00	WEST OF 16V2 ON PLATFOR	RM							
				11/08/2011	M21	1019 PPM	VLV-PKG	11/08/2011	VLV-TP	1029.00	
				11/08/2011	M21	1029 PPM		11/09/2011	VLV-TP	16,00	

Program: NSPS-GGGA

					Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location N	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed
				11/09/2011	M21	16 PPM					11/09/201
6927	VALVE/ BLEEDER	1.00	WEST OF 16V2 ON PLATFORM							<u>.</u>	
				12/15/2011	M21	2603 PPM	VLV-PKG	12/15/2011	VLV-TP	676.00	
			_	12/15/2011	M21	676 PPM		12/19/2011	VLV-TP	201.00	<del>-</del>
			_	12/19/2011	M21	201 PPM				<del></del>	12/19/2011
6945	VALVE/ NEEDLE	0.25	10' SOUTH OF 16P86 DP CELL	@ PILLAR		<u> </u>	-			_	
				11/08/2011	M21	38100 PPM	VLV-PKG	11/08/2011	VLV-CL	76600.00	
			<del>-</del>	11/08/2011	M21	76600 PPM		11/11/2011	VLV-TP	21.00	
				11/11/2011	M21	21 PPM					11/11/2011
7060	VALVE/ NEEDLE	0.50	SOUTH SIDE OF PUMP 16P271 DISCHARGE LINE @ GAUGE	ON		•					
			_	11/08/2011	M21	9159 PPM	VLV-SCR	11/08/2011	VLV-CL	1927.00	•
			_	11/08/2011	M21	1927 <b>PPM</b>		11/09/2011	VLV-TFIT	63.00	
				11/09/2011	M21	63 PPM				•	11/09/2011
7060	VALVE/ NEEDLE	0.50	SOUTH SIDE OF PUMP 16P271 DISCHARGE LINE @ GAUGE	ON		·					
				12/15/2011	M21	2896 PPM	VLV-CONN EC	12/15/2011	VLV-CL	3525.00	
				12/15/2011	M21	3525 PPM		12/19/2011	VLV-TGO N	235.00	· <del></del>
			_	12/19/2011	M21	235 PPM				<del></del>	12/19/2011
7230	PUMP	0.00	PUMP 16P299A NHT REFLUX SE	E 16V4							
				10/18/2011	M21	5523 PPM	PMP-SEAL	10/18/2011	PMP-WS E	8814.00	
				10/18/2011	M21	8814 PPM		10/19/2011	PMP-WS	847.00	
				10/19/2011	M21	847 PPM					10/19/2011

Program: NSPS-GGGA

Process L	Jnit: 16		·								
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
7230	PUMP	0.00	PUMP 16P299A NHT REFLUX	SE 16V4	-						•
				11/08/2011	M21	4618 PPM	PMP-SEAL	11/08/2011	PMP-WS E	6109.00	
				11/08/2011	M21	6109 PPM		11/09/2011	PMP-WS E	712.00	
				11/09/2011	M21	712 PPM					11/09/2011
7230	PUMP	0.00	PUMP 16P299A NHT REFLUX	SE 16V4							
				12/15/2011	M21	10200 PPM	PMP-\$EAL	12/15/2011	PMP-WS E	24100,00	
				12/15/2011	M21	24100 PPM		12/19/2011	PMP-WS E	0.00	
				12/19/2011	VIS	F		12/19/2011	PMP-WS E	2600.00	
				12/19/2011	M21	2600 PPM		12/27/2011	PMP-WS	0.00	
			•	12/27/2011	VIS	Р	· -		•		
			•	12/27/2011	M21	207 PPM					12/27/2011
7313	VALVE/ BALL CHECK	0.75	L1 16V3 @ SIGHTGLASS								
				11/08/2011	M21	10200 PPM	VLV-PKG	11/08/2011	VLV-CL	11200.00	
			·	11/08/2011	M21	11200 PPM		11/15/2011	VLV-TP	133.00	•
			•	11/15/2011	M21	133 PPM					11/15/2011
7345	PUMP	0.00	16P93 5' NORTHEAST OF 16V	/3							
				11/28/2011	VIS	F	PMP-PLG	11/28/2011	PMP-TPL	0.00	
			_	12/06/2011	VIS	F		12/06/2011	PMP-TPL	0.00	
				12/13/2011	VIS	Р					<u> </u>
				12/15/2011	M21	2.36 PPM					12/15/2011
7361A	VALVE/ BUTTERFLY	4.00	FINFAN DECK 10' SOUTHEAS	ST 16V3							
			_	10/18/2011	M21	1106 PPM	VLV-PKG	10/18/2011	VLV-CP	829.00	·
				10/18/2011	M21	829 PPM		10/19/2011	VLV-TP	309.00	

Program: NSPS-GGGA

Process L	Jilit. 10										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
				10/19/2011	M21	309 PPM					10/19/201
7361A	VALVE/ BUTTERFLY	4.00	FINFAN DECK 10' SOUTH		17(2 1						10/10/201
				11/08/2011	M21	749 PPM	VLV-PKG	11/08/2011	VLV-CL	834.00	
				11/08/2011	M21	834 PPM		11/09/2011	VLV-TP	182.00	
				11/09/2011	M21	182 PPM			<del></del>	<del></del>	11/09/2011
7361A	VALVE/ BUTTERFLY	4.00	FINFAN DECK 10' SOUTH	EAST 16V3							
				12/15/2011	M21	558 PPM	VLV-PKG	12/15/2011	VLV-CL	182.00	
				12/15/2011	M21	182 PPM					12/15/2011
7384	VALVE/ BLOCK	0.50	EAST SIDE OF 16V4 DP C	ELL ON PLATFORM							
				10/18/2011	M21	574 PPM	VLV-PKG	10/18/2011	VLV-CP	775.00	
				10/18/2011	M21	775 PPM		10/20/2011	VLV-TP	114.00	
				10/20/2011	M21	114 PPM					10/20/2011
7385	VALVE/ BLOCK	0.50	EAST SIDE OF 16V4 DP C	ELL ON PLATFORM				-			·
				10/18/2011	M21	992 PPM	VLV-PKG	10/18/2011	VLV-CP	1431.00	
				10/18/2011	M21	1431 PPM		10/20/2011	VLV-TP	318.00	
				10/20/2011	M21	318 PPM					10/20/2011
7392	VALVE/ BALL CHECK	1.00	EAST SIDE OF 16V4 SIGHT PLATFORM	T GLASS ON							
				11/08/2011	M21	512 PPM	VLV-PKG	11/08/2011	VLV-CL	257.00	
				11/08/2011	M21	257 PPM					11/08/2011
7490	PUMP	0.00	16P96 SOUTH OF 16T2							<del></del>	
				11/22/2011	VIS	F	PMP-SCR	11/28/2011	PMP-TFI	0.00	
				11/28/2011	VIS	F		12/06/2011	PMP-TFI	0.00	
				12/06/2011	VIS	F		12/06/2011	PMP-TFI	0.00	
				12/06/2011	VIS	Р					
				12/06/2011	M21	103 PPM					12/06/2011

Program: NSPS-GGGA

Process L	Jnit : 16										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
7526	VALVE/ GATE	0.75	25FT S OF 11V45.								
				11/08/2011	M21	574 PPM	VLV-PKG	11/08/2011	VLV-TP	506.00	
				11/08/2011	M21	506 PPM		11/09/2011	VLV-TP	43.00	
				11/09/2011	M21	43 PPM					11/09/2011
7530	VALVE/ GATE	8.00	26FT S OF 11V45.	11/08/2011	M21	586 PPM	VLV-PKG	11/08/2011	VLV-TP	618.00	
				11/08/2011	M21	618 PPM	· · · · · · · · · · · · · · · · · · ·	11/09/2011	VLV-TP	91.00	
				11/09/2011	M21	91 PPM		<u> </u>		<del></del>	11/09/2011
7530	VALVE/ GATE	8,00	26FT S OF 11V45.			<del>-</del> · ·					
				12/15/2011	M21	727 PPM	VLV-PKG	12/15/2011	VLV-TP	171.00	
				12/15/2011	M21	171 PPM	<del></del>	<del></del>	<u> </u>		12/15/2011
7558	VALVE/ NEEDLE	0.50	EAST OF BW BOILER @ FU	EL GAS LINE. ***	Placed or	Delay for Turnard	ound on 03/25/	/2011 Remove	d From Tur	naround List or	07/27/2011
				03/14/2011	M21	1179 PP <b>M</b>	VLV-TUB	03/14/2011	VLV-TFIT T	64100.00	
				03/14/2011	M21	64100 PPM		03/17/2011	VLV-TFIT T	6870.00	
				03/17/2011	M21	6870 PPM			-		
				04/14/2011	M21	174 PPM	•	05/12/2011	VLV-CL	1365.00	
				05/12/2011	M21	1365 PPM					
				05/12/2011	M21	2411 PPM		06/15/2011	VLV-TFIT T	1633.00	
				06/15/2011	M21	1633 PPM	· · · · · ·				
				06/15/2011	M21	1284 PPM		07/27/2011	VLV-RV	7.78	
				07/27/2011	M21	7.78 PPM			•		
				08/04/2011	M21	4.85 PPM					
				09/29/2011	M21	11.41 PPM					
•				10/18/2011	M21	6.24 PPM					
				11/08/2011	M21	3.88 PPM					
				12/15/2011	M21	5.03 PPM			•		

Program: NSPS-GGGA

Process l	Jnit: 16				Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed
7768	VALVE/ GATE	1.00	MSAT 16P303B HNS BTMS F @PI	PMP SUCT LINE							·
				09/29/2011	M21	1371 PPM	VLV-CONN EC	09/29/2011	VLV-CL .	896.00	
				09/29/2011	M21	896 PPM		10/05/2011	VLV-TCO N	46.00	
				10/05/2011	M21	46 PPM					10/05/2011
7788	PUMP	0.00	MSAT 16P303B HNS BTMS F	PMP							
				11/08/2011	M21	2903 PPM	PMP-TUB	11/08/2011	PMP-TFI	4367.00	
				11/08/2011	M21	4367 PPM		11/09/2011	PMP-TFI	376.00	
				11/09/2011	M21	376 PPM					11/09/2011
8040	VALVE/ GATE	0.75	MSAT 16V15 HNS OVHD RE	CV SG TOP							
				11/08/2011	M21	980 PPM	VLV-CONN EC	11/08/2011	VLV-CL	1616.00	
				11/08/2011	M21	1616 PPM		11/16/2011	VLV-PLU	5.00	
				11/16/2011	M21	5 PPM					11/16/2011
8040	VALVE/ GATE	0.75	MSAT 16V15 HNS OVHD REG	CV SG TOP							
				12/15/2011	M21	2410 PPM	VLV-PLUG	12/15/2011	VLV-CAP	1513.00	
				12/15/2011	M21	1513 PPM		12/19/2011	VLV-PLU	87.00	
				12/19/2011	M21	87 PPM			-	<del></del>	12/19/2011
				<del></del>							

	Process Unit 16 Sur	nmary	
	Component Count	Leak Count	
Total in Group	23	37	
Tota! Valves	18	30	
Total Pumps	5	7	
Total Compressors	0	0	
Total Relief Valves	0	0	
Total Connectors	0	0	
Total Agitators	0	0	
Total Other Equipment	0	0	

Program: NSPS-GGGA

Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
0196A.01	CONNECTOR/ UNION	1.00	19H2 btm burner 3					· · · · · · · · · · · · · · · · · · ·			
				10/03/2011	M21	32800 PPM	CON-SCR	10/03/2011	CON-TU	22500.00	
				10/03/2011	M21	22500 PPM	***	10/17/2011	CON-TU	201.00	
				10/17/2011	M21	201 PPM					10/17/2011
0197	CONNECTOR/ UNION	2.00	19H2 btm burner 2								
			· _	10/03/2011	M21	1995 PPM	CON-UNIO N	10/03/2011	CON-CLA	3000.00	
			_	10/03/2011	M21	3000 PPM		10/17/2011	CON-TU	254.00	
			_	10/17/2011	M21	254 PPM					10/17/2011
0198	CONNECTOR/ UNION	2.00	19H2 btm burner 1		•						
				10/03/2011	M21	1189 PPM	CON-UNIO N	10/03/2011	CON-CLA	2933.00	
			_	10/03/2011	M21	2933 PPM		10/17/2011	CON-TU	109.00	
			_	10/17/2011	M21	109 PPM					10/17/2011
0284.01	CONNECTOR/ UNION	1.50	PILOT GAS LOOP 5'S OF 19V1	102				<del></del>	-	•	<del>- , ,</del>
				10/03/2011	M21	13600 PPM	CON-UNIO N	10/03/2011	CON-CLA	34600.00	
			-	10/03/2011	M21	34600 PPM		10/10/2011	CON-TC ON	47.00	·
				10/10/2011	M21	47 PPM					10/10/2011
0632	VALVE/ BALL	0.75	19V7 KO DRUM SG TOP BV			····					
			_	10/03/2011	M21	678 PPM	VLV-PKG	10/03/2011	VLV-CL	884.00	
			_	10/03/2011	M21	884 PPM		10/10/2011	VLV-TP	11.00	
				10/10/2011	M21	11 PPM					10/10/2011

					Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed
0703	VALVE/ GATE	1.50	S of 19V4	<del>-</del>	•						
				10/03/2011	M21	532 PPM	VLV-PKG	10/03/2011	VLV-TP	607.00	
				10/03/2011	M21	607 PPM		10/06/2011	VLV-TP	880.00	
				10/06/2011	M21	880 PPM		10/07/2011	VLV-INJ	308.00	
				10/07/2011	M21	308 PPM					10/07/2011
0703	VALVE/ GATE	1.50	S of 19V4				·				
				11/15/2011	M21	624 PPM	VLV-PKG	11/15/2011	VLV-CL	589.00	
				11/15/2011	M21	589 PPM		11/16/2011	VLV-TP	184.00	
				11/16/2011	M21	184 PPM					11/16/2011

/			
	Process Unit 19 Sur	nmary	
	Component Count	Leak Count	
Total in Group	6	7	
Total Valves	2	3	
Total Pumps	0	0	
Total Compressors	0	0	
Total Relief Valves	0	0	
Total Connectors	4	4	
Total Agitators	0	0	
Total Other Equipment	0	0	

Program: NSPS-VV

Process L	Init: 34										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
4721	VALVE/ WTR	8.00	SOUTH OF TK176			<u>.</u> .					
	DRW			10/20/2011	VIS	F	VLV-CAP	10/20/2011	VLV-TCA P	14.27	
			-	10/20/2011	M21	14.27 PPM				·	
			-	10/20/2011	VIS	F		10/21/2011	VLV-TCA P	0.00	-
			-	10/21/2011	VIS	Р				·	
			-	10/21/2011	M21	0 PPM			· ·		10/21/2011
4721	VALVE/ WTR DRW	8.00	SOUTH OF TK176		·		-				
				11/03/2011	M21	18100 PPM	VLV-SEL	11/07/2011	VLV-TCA P	7.00	
			-	11/07/2011	M21	7 PPM				-	11/07/2011
4834	VALVE/ GATE	1.00	N PR NE OF TK101 @ DIKEWA	ALL 11/03/2011	M21	11300 PPM	VLV-PKG	11/07/2011	VLV-TP	131.00	
			-	11/07/2011	M21	131 PPM					11/07/2011
4940	VALVE/ WTR	6.00	NW SIDE OF TK101 H2O DRA	W							
				11/03/2011	M21	83100 PPM	WTR DRW CA	11/03/2011	ATTB	88900.00	
			-	11/03/2011	M21	88900 PPM	· · · ·	11/07/2011	VLV-TCA P	96.00	<u>-</u> .
			-	11/07/2011	M21	96 PPM	- <del></del>		<u> </u>		11/07/2011
5244	VALVE/ WTR DRW	6.00	SOUTH WEST SIDE OF TK109	)	· ·		-				-
				11/15/2011	VIS	F	WTR DRW CA	11/15/2011	VLV-CL	4954.00	
			-	11/15/2011	M21	4954 PPM		. <u>-</u>			
				11/15/2011	M21	1439 PPM		11/16/2011	VLV-TCA P	0.00	_
			-	11/16/2011	VIS	P	<del></del> :	<del></del> ,	_		

Program: NSPS-VV

Process l	Jnit: 34		-								
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
				11/16/2011	M21	101 PPM					11/16/2011
5365	VALVE	6.00	SOUTH OF TK113	anitaring program but	- workords	r was created to m	anage rengir	actions		_	
	*** This compo	nent was n	ot found to be leaking for this n	onitoring program but t 11/03/2011		144 PPM	VLV-CAP	3000013			
				11/03/2011	VIS	Р	<u></u>	11/03/2011	VLV-CAP	75,00	
				11/03/2011	M21	75 PPM					
				11/03/2011	VIS	P	_				11/03/2011
5599	VALVE	6.00	SOUTH SIDE OF TK114	11/07/2011	VIS	F	VLV-CAP	11/07/2011	ATSC	8.00	
				11/07/2011	M21	8 PPM	· · · · ·	<del></del>		<u>-</u>	
			•	11/07/2011	VIS	P	<del></del> -				
				11/07/2011	M21	8 PPM		-			11/07/2011

	Process Unit 34 Sur	nmary
	Component Count	Leak Count
Total in Group	6	7
Total Valves	6	7
Total Pumps	0	0
Total Compressors	0	0
Total Relief Valves	0	0
Total Connectors	0	0
Total Agitators	0	0
Total Other Equipment	0 .	0

Table 3

Regulatory Leakers Requiring Delay of Repair - Fourth Quarter 2011

Michigan Refining Division

Complex	Unit	VOC Tag I.D.	Comp type	Date leak first detected	Component Description	Reason for delay of repair	Date Placed on delay of repair	Date of Actual/Anticipated Repair
2	9	9C1	Compressor	11/12/2009	09C1 Seal leaking on East Side of housing	Requires unit shutdown	11/23/2009	10/31/2012
4	16	33243	Valve	3/14/2011	Control Valve Main Fuel Gas	Requires unit shutdown	3/25/2011	7/27/2011
4	16	25599	Valve	11/20/2009	Bonnet of gate valve leaking control loop SE of 16V9	Isolated From VOC Service	12/18/2009	10/31/2012
3	13	31879	Flange off Valve	9/14/2011	Valve on top of 13V2	Requires unit shutdown	9/20/2011	11/30/2012
3	12	33537	Valve	11/10/2011	Cntrl Loop East of 12C8 Platform 12UC0418	Requires unit shutdown	11/23/2011	11/30/2012
5	22-1	3918	Regulator	12/2/2011	Bottom south side of tank 87 on lines to flare	No Spare Regualtor	12/16/2011	1/5/2012

Repaired

Table 4
Wastewater System Monitoring - Fourth Quarter 2011
Michigan Refining Division

Complex	Unit	Tag ID	Date	Service/Description	First Attempt	Recommended Fix	Final Repair	Final Repair Date
1	5	773	12/9/2010	Catch basin Northeast of Desalter by Elec Boxes	Work Order Written	Engineer Optimum Design	Redesigned Cover	11/14/2011
<u>-</u> 1	29	DEPT API	6/15/2011	DEPT OWS Separator Hatch	Work Order Written	Engineer Optimum Design	Installed New Hatches	11/4/2011
4	16	314	9/20/2011	Catch Basin Southwest of 27BR8 Near Road	Add Water	Add Water	Water Added	10/24/2011
3	11	580	10/3/2011	Junction Box Southwest of Cooling Tower C in Roadway	Secure Lid	Secure Lid	Lid Secured	10/6/2011
3	12-21	592	10/3/2011	Catch Basin North of 21V1	Add Water	Add Water	Water Added	10/10/2011
4	14	377	10/3/2011	Junction Box North of 14V6	Secure Lid	Secure Lid	Lid Secured	10/6/2011
4	14	646	10/3/2011	Junction Box 20 feet West of 11V43	Secure Lid	Secure Lid	Lid Secured	10/17/2011
5	34	386	10/4/2011	Lift Station East of Tank 129	Secure Lid	Secure Lid	Lid Secured	10/6/2011
5	34	566	10/4/2011	Manway Southwest of Tank 116 (MH #2)	Secure Lid	Secure Lid	Lid Secured	10/6/2011
1	29	815	10/5/2011	Junction Box North of API Forebay	Secure Lid	Secure Lid	Lid Secured	10/19/2011
5	34	386	10/10/2011	Lift Station East of Tank 129	Secure Lid	Secure Lid	Lid Secured	10/19/2011
3	11	580	10/10/2011	Junction Box Southwest of Cooling Tower C in Roadway	Secure Lid	Secure Lid	Lid Secured	10/12/2011
1	5	761	10/11/2011	Junction Box 6 feet West of 4E38A	Secure Lid	Secure Lid	Lid Secured	10/17/2011
1	5	056	10/12/2011	Drain Northeast of 5P5B	Add Water	Add Water	Water Added	10/13/2011
2	7	309	10/20/2011	Funnel Drain at 7P102A	Install Plug	Install Plug	Plug Installed	10/26/2011
4	19	260	10/24/2011	Drain at KHT Reflux Pump (19P3B)	Add Water	Add Water	_Water Added	10/31/2011
5	1	764	10/26/2011	Manhole East of Tank 53 in Dike	Repair Leak	Repair Leak	Leak Repaired	11/3/2011
1	5	059	11/2/2011	Drain West of 5P4A	Add Water	Add Water	Water Added	11/10/2011
2	7	309	11/2/2011	Funnel Drain at 7P102A	Install Plug	Install Plug	Plug Installed	11/9/2011
4	14	424	11/7/2011	Drain at SR Fuel Drum 14V12	Add Water	Add Water	Water Added	11/14/2011
4	19	260	11/7/2011	Drain at KHT Reflux Pump (19P3B)	Add Water	Add Water	Water Added	11/14/2011
4	19	261	11/7/2011	Drain at KHT Reflux Pump (19P3A)	Add Water	Add Water	Water Added	11/14/2011
5		2180	11/9/2011	Water Draw Southwest Side of Tank 71	Tightened Bolt	Tightened Bolt	Bolt Tightened	11/16/2011
2	7	629	11/16/2011	Funnel Drain at 7V67	Add Water	Add Water	Water Added	11/23/2011
4	16	494	11/14/2011	Drain 12 Feet South of 27V21	Install Plug	Install Plug	Plug Installed	11/22/2011
1	29	721	11/28/2011	Junction Box North of Tank 33	Replace Bolt	Replace Bolt	Bolt Replaced	12/5/2011
4	14	673	11/22/2011	Drain near East end of SR BFW Turbine 14P1A	Add Water	Add Water	Water Added	11/28/2011
- <u>i</u>	29	N/A	12/6/2011	DEPT Hatches	Tightened Hatch	Tightened Hatch	Hatch Tightened	12/12/2011
4	16	494	12/6/2011	Drain 12 Feet South of 27V21	Install Plug	Install Plug	Plug Installed	12/13/2011
1	4	041	12/7/2011	Drain 8 Feet Southeast of 4E8	Add Water	Add Water	Water Added	12/15/2011
1	4	681	12/7/2011	Drain 6 Feet Southeast 4P4A	Add Water	Add Water	Water Added	12/21/2011
2	7	629	12/7/2011	Funnel Drain at 7V67	Install Plug	Install Plug	Plug Installed	12/14/2011
2	43	606	12/7/2011	Drain at Southeast End of 43V103	Add Water	Add Water	Water Added	12/14/2011
4	19	260	12/13/2011	Drain at KHT Reflux Pump (19P3B)	Add Water	Add Water	Water Added	12/19/2011

Table 4
Wastewater System Monitoring - Fourth Quarter 2011
Michigan Refining Division

Complex	Unit	Tag ID	Date	Service/Description	First Attempt	Recommended Fix	Final Repair	Final Repair Date
Complex	19	261	12/13/2011	Drain at KHT Reflux Pump (19P3A)	Add Water	Add Water	Water Added	12/19/2011
7	7	309	12/14/2011	Funnel Drain at 7P102A	Install Plug	Install Plug	Plug Installed	12/20/2011
-2	- <u>'</u>	696	12/15/2011	Drain South of 4P4A	Add Water	Add Water	Water Added	12/20/2011
1	29	N/A	12/21/2011	DEPT Hatches	Tightened Hatch	Tightened Hatch	Hatch Tightened	12/22/2011
1	12-21	878	12/27/2011	Drain 3 Feet West of 12P144	Add Water	Add Water	Water Added	1/2/2012
	19	260	12/27/2011	Drain at KHT Reflux Pump (19P3B)	Add Water	Add Water	Water Added	Ongoing
4	19	261	12/27/2011	Drain at KHT Reflux Pump (19P3A)	Add Water	Add Water	Water Added	Ongoing
	8	875	12/29/2011	Junction Box 40 Feet Northeast of 8H1	Install Cover	Install Cover	Cover Installed	1/13/2012

# Table 5 NSR Consent Decree Information Paragraphs 20B and 18P - Fourth Quarter 2011 Michigan Refining Division

Measures that MPC took during the 4th Quarter 2011 to satisfy the provisions of Paragraph 20B and 18P(ii)(b) of the NSR Consent Decree:

Subparagraph	Requirement	Measures taken
20Bi	Training for personnel newly-assigned to LDAR	Greg Shay completed training in July 2009 for LDAR.
20Bii	Annual training for regular LDAR personnel  Training for Ops/Maint personnel  Laboratory Audits	Regular LDAR work is contracted through Emissions Monitoring Service, Inc (EMSI Inc.) and Seal-Tech. EMSI and Seal-tech trains all personnel, training records are kept on-site.
20Biii	Training for Ops/Maint personnel	Refinery employees are required to complete a yearly Environmental Awareness CBT (Computer Based Training) module. This module, includes training information on the LDAR Program, was initiated on March 12, 2002. Additionally, contractors are required to attend a safety orientation on a yearly basis which includes information on the LDAR Program.
18P(ii)(b)	Laboratory Audits	The Detroit Refinery now has the ability to use RAD, ESC Labs of Nashville, TN, and Bureau Veritas of Livonia, MI to run all BWON samples. The Detroit Refinery began using ESC Labs of Nashville, TN on June 22, 2010.
.18P(ii)(b)	Training	Affected Refinery employees are required to complete a yearly Benzene Sampling CBT (Computer Based Training) module. This module, includes training information on the Benzene NESHAP Program, was initiated on August 2002.
18P(ii)(b)	EOL Sampling Results	The EOL Sampling program was approved on March 8, 2010 for the Detroit Refinery. See Table 9 for EOL calculations.

Table 6

NSR Consent Decree Information Paragraph 20Oiic(2) - Fourth Quarter 2011

Michigan Refining Division

	\\	10	Month monitored	# valves monitored	# pumps monitored	# compressors monitored	GGG # components leaking/quarter	GGGa # components leaking/quarter	# DTM components	Projected month of next monitoring
Complex	Unit	Description		464	5	2	па	1	2	Mar-12
	4	Vacuum Unit	Dec-11		22	0	2	ла	15	Mar-12
1	5	Crude Unit	Dec-11	. 2,244	32	_		2	0	Jan-12
	29	Wastewater Plant	Oct-11	726	16	0	na			Mar-12
	7	Distillate Hydrotreater Unit	Dec-11	1,259	20	3	2	na	21	
2	8	Gas Oil Hydrotreater Unit	Nov-11	1,529	5	2	0	na	27	Feb-12
	0	Alkylation Unit	Oct-11	2,026	29	1	10	na	35	Jan- <u>12</u>
		Fluid Catalytic Cracking Unit	Dec-11	454	6	0	1	na	18	Mar-12
•	11		Nov-11	1,961	27	2	7	ла	16	Feb-12
3	12/21	Gas Con/SATS Depropanizer			9	3	Q	na	4	Mar-12
_	13	Propylene Unit	Dec-11	691		2		па	31	Jan-12
	14	Continuous Catalytic Reforming Unit	Oct-11	2,032	14	2	,		41	Feb-12
4	16	Naphtha Hydrotreater Unit	Nov-11	1,416	23	0	na	22		
	19	Kerosene Hydrotreater Unit	Oct-11	679		I	na	2	0	Jan-12
	1	Crude Tank Farm	Nov-11	823	24	0	0	na	6	Feb-12
5	,	LPG Tank Farm	Dec-11	2,145	20	0	16	ha	10	Mar-12
,	2		Oct-11	1,505	26	0	1	na	9	Jan-12
	3/4	CP/Melyindale Tank Farms  Light Product Terminal	Oct-11	806	15	0	0	na	0	Nov-12

GGG/GGGa leaking component counts includes; valves, pumps and compressors.

Revised stream/equipment name/status	Required monitoring/Inspections	Inspection Status	Monitoring/ inspection rule	Equipment Classification	Note No.	Vîsual	Wethod 21*
	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61.343(a)(1)(i)(A)				х
SR Platformer Aromatics Sump (aka CP Sump)	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.  Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in betzene emissions, are that access doors and all other openings are closed and gasketed property.  Must be monitored initially and annually for NDE.  Each closed vent system shall be visually inspected initially and unartery. Inspection of visuals defects.  The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.  Each closed vent system shall be visually inspected initially and annually for NDE.  Each closed vent system shall be visually inspected initially and annually for NDE.  Each cover and all openings (e.g., access hatches, agaps, or other problems that could result in benzene emissions occur and access hatches, appring ports) must be monitored initially and annually for NDE.  Each fixed-roof, seal, access door, and all other openings are closed and gasketed property.  The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.  Each fixed-roof, seal, access door, and all other openings are closed and gasketed property.  The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.  Each closed vent system shall be visually inspected initially and quartery branches of cracks, gaps, or other problems that could result in benzene emissions, as that access doors and call other openings are closed and gasketed property.  The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.  Each closed vent system shall be visually inspected initially and quartery branches in benzene emissions occur and access hatches and other openings are closed and gasketed property.  The cover and all openings (e.g., acces	Completed	61.343(c)	Ţa⊓ks		×	
			61.349(a)(1)(i)	<del></del>			Х
Piping from the CP Sump to the CP Flare Secondary Knockout Drum (25V2)	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for exidence of visible defects.	Completed	61.349(f)	Closed Vent System		x	
	initially and annually for NDE.		61,346(a)(1)(i)(A)				Х
CP Sump Line from 14P10 to Sour Water Collection Tank (11V25) and Low Pressure Receiver (11V4)	and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and	Completed	61.346(a)(2)	Individual Drain System		х	
	The cover and all openings (e.g., access halches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61.343(a)(1)(i)(A)			L	х
CP Flare Knockout Drums - Primary (25V1) and Secondary (25V2)	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and that access doors and all other openings are closed and gasketed properly.	Completed	61.343(c)	Tanks		×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				х
Piping from CP Flare Knockout Drums to the Slop Tanks 23/508 or the Low Pressure Receiver (11V4)	and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and	Completed	61.346(a)(2)	Individual Drain System		×	
	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)				Х
Piping from Alky Spent Caustic Holding Tank (9V31) to Alky Flare Knockout Drum (9V38)	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall	Completed	61.349(f)	Closed Vent System		×	
	Must be monitored Initially and annually for NDE.		61.349(a)(1)(i)			—	Х
Piping from Spent Caustic Drum (21V47) to CP Flare	include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Closed Vent System		x	
Piping from Relief Valve of Merox System to CP Flare	Do not need to monitor or inspect this piping since it's now going to the flare system. Point of generation is the Flare Knockout Drum discharge.	1	N/A				
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored		61.346(a)(1)(i)(A)				Х
Piping from Disulfide Separator (21V33 or #3 Merox) to Slop Tanks 23/508	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		x	
	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61.343(a)(1)(i)(A)	Tanks			х
Tanks 508 and 23	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and that access doors and all other openings are closed and gasketed properly.	Completed	61,343(c)	-		X	

	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				Х
Piping from Tank 507 to Slop Tanks 508 and 23	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		х	_
Gravity Drum near Tank 507 (gravity drum near Tank 59 is	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.	Completed	61.343(a)(1)(i)(A)	Tanks			Х
currently out of service)	Fach fixed-roof, seat, access door, and all other openings shall be visually inspected for		61.343(c)		$\vdash$	X	
	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61.343(a)(1)(i)(A)			_	Х
Tanks 29T40 and 29T41 (Permitted as QQQ tanks with external floating roofs)	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and that access doors and all other openings are closed and gasketed properly.	Completed	61.343(c)	Tanks		×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				Χ
Piping from API separator to Tanks 29T40/41	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		х	<u> </u>
Piping from Tanks 29T40/41 to Slop Tanks 23 and 508	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System		i	×
	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.		61.346(a)(2)			х	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				>
Piping from Unifiner, Alkylation, GOHT, and Crude Flare Knock-Out Drums to Tanks 23 and 508	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		х	
-	The cover and all openings (e.g., bungs, hatchs, and sampling ports) must be monitored initially and annually for NDE.	Conducted 2nd Quarter 2011	61, <b>34</b> 5(a)(1)(i)	Containers			>
Vacuum Trucks	Each cover and all openings shall be visually inspected initially and quarterly to ensure that they are closed and gasketed properly.	Completed	61.345(b)	Containers		X	L
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	}	61.346(a)(1)(i)(A)				,
Piping from NHT Particulate Filter Relief to Refinery Slop System	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed property.	Completed	61.346(a)(2)	Individual Drain System		x	
	The cover and all openings (e.g., access halches, sampling ports) must be monitored initially and annually for NDE.	] [	61.346(a)(1)(i)(A)	]	<u></u>		Ŀ
Piping from the Disulfide Off-Gas Knockout Drum (12V36) lo Refinery Slop System		Completed	61.346(a)(2)	Individual Drain System		х	

						$\overline{}$	$\overline{}$
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			Ш	) ×
Piping from the West Plant Slop System to Slop Tanks 23/508	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed property.	Completed	61.346(a)(2)	Individual Drain System		×	
	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)				
Piping associated with the carbon canister stations	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Closed Vent System		×	
		<del></del>	61.349(a)(1)(i)			Г	17
Carbon Canisters	Must be monitored initially and annually for NDE.  Each control device shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Control Devices		x	
Water Draw Covers This includes tanks in the Crude tank	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)			—'	'
farm (6, 36, 39, 40, 41, 45, 46, 47, 48, 49, 53, 61, 72), CP Tank Farm (21, 57), and Melvindale Tank Farm (102, 103, 104, 105, 106, 107, etc).	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Closed Vent System		х	_
	Must be monitored initially and annually for NDE.		61,349(a)(1)(i)			<b>↓</b> '	)
CP Fiare	Each control device shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Control Devices		x	
	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)			<u> </u>	$\Box$
Piping from Tank 507 to the Benzene Stripper Column	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Closed Vent System		х	
	The cover and all openings (e.g., access hatches, sampling ports, etc) must be monitored initially and annually for NDE.		61,348(a)(2)		<u> </u>	L	;
Benzene Stripper Column (5V36)	Each seal, access door, and all other openings shall be visually inspected initially and quarterly to ensure that no cracks or gaps occur and all openings are closed and gasketed properly.	Completed	61.348(e)(1)	Trealment Processes		x	
	Must be monitored initially and annually for NDE.		61,349(a)(1)(i)				
iping from the top of the Benzene Stripper Column (5V36) to the Overhead Condensers (5E41A/B) and to the Overhead Receiver (5V37)	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Closed Vent System		х	
	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)			<del>  _ </del>	
Benzene Stripper overhead condensers (5E41A/B)	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61,349(f)	Closed Vent System		×	
	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)			ــــــ	Ţ
Piping from the Crude Desatters (5V31/32) to the Benzene Stripper Column (5V36)	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Closed Vent System		×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			_	1
Piping from the Benzene Stripper (5V36) to the Brute Force System	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no crecks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Indîvîdual Drain System		x	
	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61.343(a)(1)(i)(A)			$\perp$	1
Brute Force System	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and that access doors and all other openings are closed and gasketed properly.	Completed	61.343(c)	Tanks		x	

	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must		04.040/.3/43/0/21			Х
	be monitored initially and annually for NDE,		61.343(a)(1)(i)(A)		μЦ	ĻÂ
Tank 507	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and that access doors and all other openings are closed and gasketed properly.	Completed	61.343(c)	Tanks	x	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	<u> </u>	61.346(a)(1)(i)(A)			×
ping from the Benzene Stripper Overhead Receiver (5V37) to the Crude Desalters	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System	×	
	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61.347(a)(1)(i)(A)			Х
API separator, forebay, and associated equipment	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly to ensure that no cracks or gaps occur between the cover and oil-water separator wall and that access hatches and other openings are closed and gasketed properly.	Completed	61.347(b)	Oil-Water separators	×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)		$\square$	х
iping from Gravity Drum near Tank 507 to Slop Tanks 23 and 508	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.345(a)(2)	Individual Drain System	×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			×
Piping at Gravity Drum near Tank 507 and piping at Tank 08 used for Vacuum Truck Operations (Gravity Drum near Tank 59 currently oul of service).	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System	×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	<del></del>	61,346(a)(1)(i)(A)			Х
Piping from Tank 51 to Stop Tank 23/508.	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System	×	
	The cover and all openings (e.g., access halches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61.343(a)(1)(i)(A)			х
Tank 51/52	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and that access doors and all other openings are closed and gasketed properly.	Completed	61.343(c)	Tanks	×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			х
Piping from Tank 52 to Slop Tanks 23/508,	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed property.	Completed	61.346(a)(2)	Individual Drain System	Х	
	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)		 $\vdash$	X
Piping from CP Flare Secondary Knockout Drum to CP Flare	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Closed Vent System	x	

<del> </del>	The cover and all openings (e.g., access hatches, sampling ports) must be monitored		61.346(a)(1)(i)(A)				х
Piping on Hydrocarbon/Liquid Line from CP Sump to FCCU Low Pressure Receiver or Refinery Slop System.	initially and annually for NDE.  Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and pasketed properly.	Completed	61.346(a)(2)	Individual Drain System	-	х	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				Х
iping from CP Flare Knockout Drums to the FCCU High and Low Pressure Slop Header		Completed	61.346(a)(2)	Individual Drain System		х	_
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				Х
Piping from CP Sump to FCCU High and Low Pressure Slop Header	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		х	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially end annually for NDE.		61.346(a)(1)(i)(A)				х
Piping from FCCU High Pressure Slop Header to High Pressure Slop Bullets	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gaskeled properly.	Completed	61.346(a)(2)	Individual Drain System		х	
Piping from FCCU Low Pressure Slop Header to Low Pressure Slop Bullets	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System			х
	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed property.		61,346(a)(2)			x	
	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61.343(a)(1)(i)(A)				Х
High and low pressure stop bullets	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzone emissions, and that access doors and all other openings are closed and gasketed properly,	Completed	61.343(c)	Tanks		х	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				х
Aboveground Sewer Lines from MelvIndale or Crude Tank Farms to Tank 507	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		х	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	<u> </u>	61.346(a)(1)(i)(A)	]			·X
Piping from the Marketing Terminal Sewer to Slop Tanks 23/508	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		x	

	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annualty for NDE.		61.346(a)(1)(i)(A)			×
Truck Drain Downs at Terminal Loading Rack	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed property.	Completed	61.346(a)(2)	Individual Drain System	×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)	•		×
Aboveground piping from Truck Drain Downs to NESHAP Sump	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gaskeled properly.	Completed	61.346(a)(2)	Individual Drain System	×	
	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61,343(a)(1)(i)(A)		-	×
Terminal NESHAP Sump	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and that access doors and all other openings are closed and gasketed properly.	Completed	61.343(c)	Tanks	×	
	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61.343(a)(1)(i)(A)			×
Tank 29T47	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and that access doors and all other openings are closed and gasketed properly.	Completed	61.343(¢)	Tanks	×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			×
All piping To and From 29T47	Each cover seal, access hatch, and all other openings shall be visually inspecded initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gaskated property.	Completed	61.346(a)(2)	Individual Drain System	×	
	The cover and all openings (e.g., access halches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			×
Piping from Spent Caustic Tank (9V10) to New Caustic Pol (9729)	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System	×	
	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.	,	61.343(a)(1)(i)(A)			×
Speni Caustic Pot 9729	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and that access doors and all other openings are closed and gasketed property.	Completed	61.343(c)	Tanks	×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	<del></del>	61.346(a)(1)(l)(A)	•		×
· Tank Cleanouls	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System	×	
INCAME of observing poders and to de-	The cover and all openings (e.g., bungs, hatchs, and sampling ports) must be monitored (c.g., bungs) initially and annually for NDE.	Conducted 2nd Quarter 2011	61.345(a)(1)(i)	Containers		×
Nationals (Wilet applicable to Dyvoly)	Each cover and all openings shall be visually inspected initially and quarterly to ensure that they are closed and gasketed properly.	Completed	61.345(b)	Containers	×	
(IACAND of advantage and it was a new Town)	The cover and all openings (e.g., bungs, hatchs, and sampling ports) must be monitored initially and annually for NDE.	Completed	61.345(a)(1)(i)	Containers		×
Frac Tanks (When applicable to byton)	Each cover and all openings shall be visually inspected initially and quarterly to ensure that they are closed and gasketed properly.		61,345(b)	Containers	×	

	The cover and all openings (e.g., bungs, hatchs, and sampling ports) must be monitored initially and annually for NDE.	Completed Monthly	61.345(a)(1)(i)	Containers		Ш	Х
Slop Oil Drums	Each cover and all openings shall be visually inspected initially and quarterly to ensure that they are closed and gasketed properly.	Completed Monthly	61,345(b)	Containers	l	х	
	The cover and all openings (e.g., access halches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			Ш	Х
All piping to Lab Slop Oil Tank	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61,346(a)(2)	Individual Drain System		x	
	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61.343(a)(1)(i)(A)			Ш	Х
Lab Slop Tank	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and that access doors and all other openings are closed and gasketed properly.	Completed	61.343(c)	Tanks		×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System			X
Piping at API Separator used for Vacuum Truck Operations	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result		61.346(a)(2)			X	<u>_</u>
Piping from Stop Tanks 23/508 to Crude Unit	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System			X
, , , , , , , , , , , , , , , , , , , ,	Each cover seal, access hatch, and all other openings shall be visually inspected initially		61.346(a)(2)			X	
	Must be monitored initially and annually for NDE.		61,349(a)(1)(i)		-	$\square$	Х
Piping from Complex 1 Flare Knockout Drum to the Crude Flare.	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Closed Vent System		х	
	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)		igsquare	1	X
Crude Flare Itself	Each control device shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Control Devices		×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				Х
Piping from the Propane Caustic Scrubber 9V22 to Alky Spent Caustic Holding Tank 9V31	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61,346(a)(2)	Individual Drain System		х	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61,346(a)(1)(i)(A)				х
Piping from the Alky Spent Caustic Holding Tank 9V31 used for Vacuum/Tank Trucks Operations	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		x	
Unifiner Flare Knockout Drum	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.	Completed	61.343(a)(1)(i)(A)	Tanks			Х
<b>2</b> ,	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for		61.343(c)		L	X	<u> </u>
	Must be monitored initially and annually for NDE,		61.349(a)(1)(i)	1	$\sqsubseteq$	Щ'	Х
Piping from the Unifiner Flare Knockout Drum to the Unifiner Flare	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Closed Vent System		×	
<del></del>	Must be monitored initially and annually for NDE.		61,349(a)(1)(i)	1		—	X
Unifiner Flare Itself	Each control device shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61,349(f)	Control Devices		×	

GOHT Flare Knockout Drum	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.	Completed	61.343(a)(1)(i)(A) 61.343(c)	Tanks		Х	Х
	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for	<u> </u>	61,343(c) 61,349(a)(1)(i)			<del>  ^-</del>	X
Piping from the GOHT Flare Knockout Drum to the Unifiner Flare	Must be monitored initially and annually for NDE.  Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61,349(f)	Closed Vent System		х	_^
Alky Flare Knockoul Drums	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.	Completed	61.343(a)(1)(i)(A)	Tanks			х
Alky Flate Milockout Didillo	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and	·	61.343(c)			X	-
	Must be monitored initially and annually for NDE.		61,349(a)(1)(l)		<u> </u>	ļ	X
Piping from the Alky Flare Knockout Drums to the Alky Flare	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Closed Vent System		×	
_,-	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)				X
Aiky Flare Itself	Each control device shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Control Devices		х	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			L	×
Piping from Caustic Wash Drum (9V10) to Spent Caustic Fot (9T29)	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61,346(a)(2)	Individual Drain System		х	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				×
Piping from SWS Feed Surge Drum to Slop Tanks 23/508	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		x	
	The cover and all openings (e.g., access halches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				x
Vacuum Truck Operations at Spent Caustic Tank 21T47	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61,346(a)(2)	Individual Drain System		х	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				х
Piping from the CP Primary Flare Knockout Drum 25V1 to the Secondary Knockout Drum 25V2		Completed	61.346(a)(2)	Individual Drain System	:	x	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			_	Х
Piping from Disulfide Separator (21V33 or #3 Merox) to Spent Caustic Tank 21T47	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		x	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				×
Piping from the Caustic Scrubber (12V5) to Stop Tanks 23/508	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61,345(a)(2)	Individual Drain System		x	

#### Table 7

					_	-	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				Х
Piping from the P.P Caustic Wash Tower (13V1A/B) to Spent Caustic Tank (21T47)	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed property.	Completed	61.346(a)(2)	Individual Drain System		х	
	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61.343(a)(1)(i)(A)			4	X
Spent Caustic Tank 21T47	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and that access doors and all other openings are closed and gasketed property.	Completed	61.343(c)	Tanks		×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			Ш	Х
Piping from the Debutanizer Ovhd Receiver 14V7/Water KO Pot to Aromatic Sump	Each cover seat, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gaskeled properly.	Completed	61,346(a)(2)	Individual Drain System		×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				Х
Piping from the Fuel Gas Coalescers to Aromatic Sump	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61,346(a)(2)	Individual Drain System		×	
•	The cover and all openings (e.g., access halches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				Χ
Piping from Low/High Pressure Stop Bullets to LPG Knockou Pot 22-1V5		Completed	61.345(a)(2)	Individual Drain System		x	
	The cover and all openings (e.g., access hatches, sampling ports, and gauge wells) must be monitored initially and annually for NDE.		61.343(a)(1)(i)(A)				Х
LPG Knockaut Drum	Each fixed-roof, seal, access door, and all other openings shall be visually inspected for indications of cracks, gaps, or other problems that could result in benzene emissions, and that access doors and all other openings are closed and gasketed properly.	Completed	61.343(c)	Tanks		x	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61,346(a)(1)(l)(A)				X
Piping from LPG Knockout Pot to Unifiner Knockout Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.348(a)(2)	Individual Drain System		x	
<del>-</del>	Must be monitored initially and annually for NDE.	-	61.349(a)(1)(i)				Х
Piping from the Terminal NESHAP Sump to VRU or Combustor	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61,349(f)	Closed Vent System		×	
<del></del>	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)				X
VRU and Combustor	Each control device shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Control Devices		х	
	Must be monitored initially and annually for NDE.		61,349(a)(1)(i)			<b>├</b> —Ì	Χ
Fugitive Emissions Eliminator	Each control device shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Control Devices		х	
	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)	4	ļ. —	$\vdash \vdash$	Х
RVP Analyzer	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include Inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Control Devices		x	
Fugitive Emissions Eliminator	Must be monitored initially and annually for NDE.  Each control device shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.  Must be monitored initially and annually for NDE.  Each control device shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.  Must be monitored initially and annually for NDE.  Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for	Completed	61.349(f) 61.349(a)(1)(i) 61.349(f) 61.349(a)(1)(i)	Control Devices		x	

#### Table 7

<del></del>	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)	· ·		$\dashv$	<u> X</u>
New Vacuum Truck Hookup at API Skim Pit	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61.349(f)	Control Devices		х	
	Must be monitored initially and annually for NDE.		61.349(a)(1)(i)		ightarrow	_	Х
Piping from Spent Caustic Pot (9T29) to Vacuum Truck Hookup	Each closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for evidence of visible defects.	Completed	61,349(f)	Control Devices		х	
	Must be monitored initially and annually for NDE.		61,349(a)(1)(i)		$\Box$		X
Piping from RVP Analyzer Sample to Fugitive Emissions Eliminator	Bach closed vent system shall be visually inspected initially and quarterly. Inspection shall include inspection of ductwork, piping, connections to covers and control device for	Completed	61.349(f)	Closed Vent System		х	
Piping from the MVGO Filter Changeouts to Unit Area Slop	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System		$\perp$	_X
Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result		61,346(a)(2)			х	
Piping from the HVGO Filter Changeouts to Unit Area Slop	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System			Х
Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result		61.346(a)(2)		Ш	х	_
Piping from the LVGO Filter Changeouts to Unit Area Slop	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System	$\square$	$ \bot $	_X
Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result	- Completed	61.346(a)(2)			х	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(l)(A)				Х
Piping from the AGO Filter Changeouts to Unit Area Slop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gaskeled properly.	Completed	61.346(a)(2)	Individual Drain System		×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			$ \bot $	Х
Compressor Lube Oil Filler Changeouls (7C2) to Unit Area Stop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61,346(a)(2)	Individual Drain System		×	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)				X
Compressor Lube Oil Filter Changeouts (8V31A/B) to Unit Area Stop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gaskeled properly.	Completed	61.346(a)(2)	Individual Drain System		x	_
Compressor Lube Oil Filter Changeouts (6V30A/B) to Unit	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System			х
Area Slop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result	Completed	61.346(a)(2)			х	
Lube Oil Filter Changeouts (9V45A/B) to Unit Area Slop	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System			>
Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result	Obilipioled	61.346(a)(2)			x	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61,346(a)(1)(i)(A)			$\sqcup$	>
Hydraulic Oil Filter Changeouts to Unit Area Slop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		×	

	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			,
Slurry Stripper Bottoms Strainer Changeouts to Unit Area Slop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		×
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and ennually for NDE.	On any latest	61.345(a)(1)(i)(A)	Individual Drain System		;
Strainer Changeouts (12V47/48) to Unit Area Slop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result	Completed	51.346(a)(2)	Individual Brain System 1		x
Lube Oil Filter Changeouts (11V46A/B) to Unit Area Slop	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System		
Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result	Completed	61,346(a)(2)	man ayelem		×
#6 Gas Lube Oil Filter Changeouts (12V54/55) to Unit Area	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System		;
Slop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result	Completed	61,346(a)(2)	illaridada Braili Oyelari		х
Lube Oil Filter Changeouts (12V45A/B) to Unit Area Slop	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System		:
Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result	Completed	61.346(a)(2)	marvidar Brain Gystein		Х
Lean Amine Filter Changeouts (12V45) to Unit Area Slop	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	0 111	61.346(a)(1)(i)(A)	Individual Drain System		
Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result	Completed	61,346(a)(2)	Individual Drain Oyston		x
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	0 1111	61.346(a)(1)(i)(A)	Individual Drain System		
Lean Amine Surge Drum (12V9) to Unit Area Slop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result	Completed	61.346(a)(2)	individual Drain Gystem		x
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			_   :
Frim Compressor Lube Oil Filter Changeouls (13V15) lo Unit Area Slop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		x
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			
Trim Compressor Lube Oli Filter Changeouts (13V9) to Unit Area Stop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61,346(a)(2)	Individual Drain System		×
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			
Lube Oil Filter Changeouts (14ME10A/B) lo Unil Area Slop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Indīvidual Drain System		x
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			
Lube Oil Filter Changeouts (14ME12A/B) to Unit Area Slop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		x

	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61,346(a)(1)(i)(A)			$\perp$	Х
Compressor Cylinder Oil Filter Changeouts (14ME18A/B) to Unit Area Stop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		х	
Compressor Lube Oil Filter Changeouls (14ME17A/B) to Unit	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.	Completed	61.346(a)(1)(i)(A)	Individual Drain System		ightharpoonup	Х
Area Slop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result	Completed	61.346(a)(2)			х	
	The cover and all openings (e.g., access hatches, sampling ports) must be monitored initially and annually for NDE.		61.346(a)(1)(i)(A)			$\sqcup$	Х
NHT Naphtha Feed Filler Changeouls lo Unit Area Slop Drum	Each cover seal, access hatch, and all other openings shall be visually inspected initially and quarterly thereafter to ensure that no cracks, gaps, or other problems that could result in benzene emissions occur and access hatches and other openings are closed and gasketed properly.	Completed	61.346(a)(2)	Individual Drain System		x	
API Separator Floating Roof Inspections	5 year primary seal, Annual secondary seal.	Completed	61.352(a)(1)	Alternative Standards for Oil-Water separators	2		

#### Notes:

- Visual inspections carried out during November 2011
   Secondary Seal was inspected during March 2011

^{*}Method 21 readings for valves are completed quarterly.

# Table 8 Exceedance Summary for Various Control Equipment or Treatment Processes Fourth Quarter 2011 Michigan Refining Division

Equipment	Reporting Requirement	No. of Reportable Exceedances this Quarter	Regulation	Equipment Classification
Desaller Water Flash Column	Each period of operation during which the concentration of benzene is > or = to 10 ppm based upon monthly sampling of Desalter Water Flash Column effluent.	0	40 CFR 61.348(a)(1)(i) & 357(d)(7)(i)	Treatment Processes
	Each occurrence when the carbon in a carbon adsorber system that is not	0	40 CFR 61.357(d)(7)(iv)(l)	Closed Vent System of Control Device
Carbon Canisters	regenerated directly on site in the control device is not replaced at the predetermined interval specified.	0	40 CFR 60.692-5(e)(5)	Closed Vent System o Control Device
Waler Draw covers	All water draw covers associated with NESHAP program should be tightly sealed. This includes tanks in the Crude tank farm (9, 38, 39, 40, 41, 45, 54, 64, 74, 49, 49, 53, 61, 72), CP Tank Farm (21, 57), and Melvindele Tank Farm (102, 103, 104, 105, 106, 107, 120, 125, 126, 127, 128, 133, 134, 114, 115, 129, 130, 176, 108, 109, 110, 116)	3	61.349(f)	Closed Vent System
Inspections ¹	Summarizes all inspections required by 61.342 Ihrough 61,354 during which delectable emissions are measured or a problem (such as a broken seal, etc.) that could result in benzene emissions, Including information about the repairs or corrective action taken.	89	61.357(d)(8)	See Table 7
CP Flare	Each period in which the pilot flame of a flare is absent.	0	40 CFR 61.357(d)(7)(iv)(F)	Closed Vent System or Control Device
Unifiner Flare	Each period in which the pilot flame of a flare is ebsent.	0	40 CFR 61,357(d)(7)(iv)(F)	Closed Vent System or Control Device
Alkylation Flare	Each period in which the pilot flame of a flare is absent.	0	40 CFR 61.357(d)(7)(iv)(F)	
Crude Flare	Each period in which the pilot flame of a flare is absent.	0	40 CFR 61.357(d)(7)((v)(F)	Closed Veni System or Control Device
Vapor Recovery Unit	Each 3-hour period of operation during which the average temperature of the gas stream in the combustion zone of a thermal vapor inclinerator, as measured by the temperature monitoring device is more than 28°C (50°F) below the design combustion zone temperature.	0	40 CFR 61.357(d)(7)(lv)(A)	Closed Vent System or Control Device
Combustor	Each 3-hour period of operation during which the average temperature of the gas stream in the combustion zone of a boiler or process healer having a design heal input capacity less than 44 MW, as measured by the temperature monitoring device, is more than 28°C (50°F) below the design combustion zone temperature.	0	40 CFR 61.357(d)(7)(iv)(C)	Closed Vent System or Control Device
Fugitive Emissions Eliminator	Each occurrence when the carbon in a carbon adsorber system that is not regenerated directly on site in the control device is not replaced at the predetermined interval specified.	0	40 CFR 61.357(d)(7)(iv)(l)	Closed Vent System or Control Device

Note: 1. Inspections include valves and flanges that had NDE reading above 500 ppm. If defiencies are noted, an attached summary sheet will be included.



MARATHON - DETROIT 1300 SOUTH FORT STREET DETROIT, MI 48217

01/12/2012

# **LEAKING EQUIPMENT LOG**

Program: NESHAPS-FF

Process L	Init: 01										
					Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed
1698	VALVE	6.00	NW SIDE TK53 WaTER draw		·		<u> </u>		•		
				11/02/2011	M21	569 PPM	VLV-SEL	11/02/2011	ATSC	1129.00	
				11/02/2011	M21	1129 PPM	·	11/03/2011	VLV-CL	2.00	
				11/03/2011	M21	2 PPM	-		<u>_</u>		11/03/2011

	Process Unit 01 Summary						
	Component Count	Leak Count					
Total in Group	1	1					
Total Valves	1	1					
Total Pumps	0	0					
Total Compressors	0	0					
Total Relief Valves	0	0					
Total Connectors	0	0					
Total Agitators	0	0					
Total Other Equipment	0	0					

Program: NESHAPS-FF

Process U	Init: 02										
Tag Number	Part / Type	Size	Location N	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
2324	VALVE/ CTRL	4.00	DOT LINE S SIDE OF TK98 40F	T.N OF						•	
			TORONTO RDWY. CV MOV 16/	۹.							
				10/18/2011	M21	160800 PPM	VLV-PKG	10/18/2011	VLV-CL	46200.00	
			_	10/18/2011	M21	46200 PPM		10/28/2011	VLV-TP	201.00	
			_	10/28/2011	M21	201 PPM					10/28/2011
2326	VALVE/ TWIN	3.00	DOT LINE S SIDE OF TK98 40F TORONTO RDWY. N OF CV MC					<del></del>			
				12/15/2011	M21	701 PPM	VLV-PKG	12/15/2011	VLV-CP	879.00	
			_	12/15/2011	M21	879 PPM		12/22/2011	VLV-TP	23.00	
			_	12/22/2011	M21	23 PPM					12/22/2011
2350.04	CONNECTOR/ SCREWED	1.00	DOT LINE S SIDE OF 22P51 10	FT.							
				12/15/2011	M21	698 PPM	CON-90	12/15/2011	CON-CLA	248.00	
			_	12/15/2011	M21	248 PPM				· -	12/15/2011
2366	VALVE/ BALL	3.00	15FT SW OF TK98 @UG-5-009	DOT LINE		:		-			
				10/18/2011	M21	5750 PPM	VLV-BON	10/18/2011	VLV-CP	29300.00	
			_	10/18/2011	M21	29300 PPM		10/28/2011	VLV-TBO N	152.00	
			-	10/28/2011	M21	152 PPM					10/28/2011
2366	VALVE/ BALL	3.00	15FT SW OF TK98 @UG-5-009	DOT LINE						<u>.</u>	•
				12/16/2011	M21	13100 PPM	VLV-BON	12/16/2011	VLV-CL	10400.00	
			_	12/16/2011	M21	10400 PPM		12/22/2011	VLV-TP	19.00	
			_	12/22/2011	M21	19 PPM		<u> </u>		•	12/22/201
2383A	VALVE/ CHECK	6.00	3FT NW OF 22P51.NE OF CAS PRESSURE PANEL	ING					<del></del>	·	
				12/16/2011	M21	2455 PPM	VLV-FLG	12/16/2011	VLV-CL	2504.00	
			_	12/16/2011	M21	2504 PPM		12/22/2011	VLV-TFL G	84.00	
			_	12/22/2011	M21	84 PPM					12/22/201

Program: NESHAPS-FF

Process L	Init: 02										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
2423.05	CONNECTOR/ 90	1.00	E OF 22P50,W OF STAIRS.								
				12/16/2011	M21	1346 PPM	CON-90	12/16/2011	CON-CLA	3683.00	
				12/16/2011	M21	3683 PPM	<u>.                                      </u>	12/22/2011	CON-TC ON	5.00	
				12/22/2011	M21	5 PPM					12/22/2011
2423.06	CONNECTOR/ 90	1.00	E OF 22P50.W OF STAIRS.				<u></u>				
				09/20/2011	VIS	F	CON-CON NEC	09/20/2011	CON-CLA	9019.00	
				09/20/2011	M21	9019 PPM					
				09/20/2011	M21	14500 PPM		10/03/2011	CON-TC ON	0.00	
				10/03/2011	VIS	Р		- -	-		
				10/03/2011	M21	201 PPM					10/03/2011
2423.06	CONNECTOR/ 90	1.00	E OF 22P50.W OF STAIRS.	-		-					
				12/16/2011	M21	12600 PPM	CON-90	12/16/2011	CON-CLA		
				12/16/2011	M21	14500 PPM		12/22/2011	CON-TC ON	75.00	
				12/22/2011	M21	75 PPM					12/22/2011
2423.07	CONNECTOR/ SCREWED	1.00	E OF 22P50.W OF STAIRS.								
				12/16/2011	M21	21600 PPM	CON-CON NEC	12/16/2011	CON-CLA	21400.00	
				12/16/2011	M21	21400 PPM		12/22/2011	CON-TC ON	52.00	
•				12/22/2011	M21	52 PPM					12/22/2011
2423.08	CONNECTOR/ UNION	1.00	E OF 22P50.W OF STAIRS.								<del></del>
				12/16/2011	M21	2206 PPM	CON-UNIO N	12/16/2011	CON-CLA	1314.00	

Program: NESHAPS-FF

Process U	Init : 02										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
				12/16/2011	M21	1314 PPM		12/22/2011	CON-TC ON	49.00	
				12/22/2011	M21	49 PPM					12/22/2011
2423,09	CONNECTOR/ SCREWED	1.00	E OF 22P50.W OF STAIRS.	12/16/2011	M21	518 PPM	CON-CON	12/16/2011	CON-CLA	982.00	
				,,			NEC				
				12/16/2011	M21	982 PPM		12/22/2011	CON-TC ON	50.00	
				12/22/2011	M21	50 PPM					12/22/2011
2423.12	CONNECTOR/ SCREWED	1.00	E OF 22P50.W OF STAIRS.								
				09/20/2011	VIS	F	CON-CON NEC	09/20/2011	CON-CLA	11200.00	
				09/20/2011	M21	11200 PPM					
				09/20/2011	M21	12300 PPM		10/03/2011	CON-TC ON	0.00	
				10/03/2011	VIS	Р					
				10/03/2011	M21	147 PPM					10/03/2011
2423.12	CONNECTOR/ SCREWED	1.00	E OF 22P50.W OF STAIRS.								
				12/16/2011	M21	5394 PPM	CON-CON NEC	12/16/2011	CON-CLA	6092.00	
				12/16/2011	M21	6092 PPM		12/22/2011	CON-TC ON	88.00	
				12/22/2011	M21	88 PPM	<del></del>	·			12/22/2011
2424.06	CONNECTOR/ 90	1,00	E OF 22P50 @ PUMPSEAL								
				09/20/201	r VIS	F	CON-90	09/20/2011	CON-CLA	1105.00	
				09/20/201	M21	1105 PPM					
				09/20/201	M21	984 PPM		10/03/2011	CON-TC	0.00	

Program: NESHAPS-FF

Process U	nit: 02				Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed
-	_					<u> </u>		-	ON		
				10/03/2011	VIS	P		<del></del>			
				10/03/2011		312 PPM	· · · · · ·			<del></del>	10/03/2011
2424.06	CONNECTOR/	1.00	E OF 22P50 @ PUMPSEAL			<u> </u>			<del></del>	<del></del>	<del></del> ,
2424,00	90	1.00					_			800.00	
				12/16/2011	M21	615 PPM	CON-90	12/16/2011	CON-CLA		
				12/16/2011	M21	868 PPM		12/22/2011	CON-TC ON	57.00	
				12/22/2011	M21	57 PPM	<u> </u>				12/22/2011
2424.07	CONNECTOR/ SCREWED	1.00	E OF 22P50 @ PUMPSEAL	<del></del>						<u> </u>	
	SCINEVVED			09/20/2011	ı VIS	F	CON-CON NEC	09/20/2011	CON-CLA	880.00	
				09/20/2011	1 M21	880 PPM	<u> </u>				
				09/20/2011	1 M21	813 PPM		10/03/2011	CON-TC ON	0.00	
				10/03/2011	l VIS	Р		<del></del> .			
				10/03/2011	1 M21	101 PPM					10/03/2011
2424.07	CONNECTOR/ SCREWED	1.00	E OF 22P50 @ PUMPSEAL			<del></del>					
				12/16/201	1 M21	630 PPM	CON-CON NEC	12/16/2011	CON-CLA	675.00	
				12/16/2011	1 M21	675 PPM		12/22/2011	CON-TC ON	32.00	
				12/22/201	1 M21	32 PPM					12/22/2011
2424.11	CONNECTOR/	1.00	E OF 22P50 @ PUMPSEAL	<del></del>							
				09/20/201	1 VIS	F	CON-TEE	09/20/2011	CON-CLA	6610.00	
				09/20/201	1 M21	6610 PPM					
				09/20/201	1 M21	4204 PPM		10/03/2011	CON-TC	0.00	

Program: NESHAPS-FF

Process U	Init: 02		•								
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
	-				-		<u>.                                      </u>	, <del>u</del>			
									ON		<del></del> .
				10/03/2011		Р	<u></u>			<del> </del>	10/00/0044
				10/03/2011	M21	175 PPM					10/03/2011
2424.11	CONNECTOR/ TEE-FLG	1.00	E OF 22P50 @ PUMPSEAL								
			•	12/16/2011	M21	5322 PPM	CON-TEE	12/16/2011	CON-CLA		
				12/16/2011	M21	2445 PPM		12/22/2011	CON-TC ON	72.00	
				12/22/2011	M21	72 PPM					12/22/2011
2424.12	CONNECTOR/ TEE-FLG	1.00	E OF 22P50 @ PUMPSEAL								
				09/20/2011	VIS	F	CON-TEE	09/20/2011	CON-CLA	14000.00	
				09/20/2011	M21	14000 PPM					
				09/20/2011	M21	14000 PPM		10/03/2011	CON-TC ON	0.00	
				10/03/2011	VIS	P					
				10/03/2011	M21	378 PPM					10/03/2011
2424,12	CONNECTOR/ TEE-FLG	1.00	E OF 22P50 @ PUMPSEAL								
				12/16/2011	M21	3804 PPM	CON-TEE	12/16/2011	CON-CLA	3390.00	
				12/16/2011	M21	3390 PPM		12/22/2011	CON-TC ON	17.00	
				12/22/2011	M21	17 PPM		<u> </u>			12/22/2011
2424.13	CONNECTOR/	1.00	E OF 22P50 @ PUMPSEAL								
				09/20/2011	ı VIS	F	CON-90	09/20/2011	CON-CLA	3800.00	
				09/20/2011	M21	3800 PPM		-			
				09/20/2011	M21	7510 PPM	. <del></del>	10/03/2011	CON-TC ON	0.00	
				10/03/201	l VIS	P					

Program: NESHAPS-FF

Process U	Init: 02	·			T 6		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Leaking	Date	Method	Reading	Completed
				10/03/2011	M21	108 PPM			·		10/03/2011
2424.13	CONNECTOR/ 90	1.00	E OF 22P50 @ PUMPSEAL			-					
				12/16/2011	M21	1427 PPM	CON-90	12/16/2011	CON-CLA		
				12/16/2011	M21	2986 PPM		12/22/2011	CON-TC ON	42.00	
				12/22/2011	M21	42 PPM					12/22/2011
2428.10	CONNECTOR/ TEE-SCR	1.00	N OF 22P50.W OF STAIRS.					-	•		
				09/20/2011	ı VIS	F	CON-CON NEC	09/20/2011	CON-CLA	513.00	
				09/20/2011	M21	513 PPM					
				09/20/2017	M21	945 PPM	<u> </u>	10/03/2011	CON-TC ON	0.00	
				10/03/201	1 VIS	P					<u> </u>
				10/03/201	1 M21	81 PPM					10/03/2011
2428.11	CONNECTOR/ TEE-SCR	1.00	N OF 22P50,W OF STAIRS.		<del></del> -				-		
				09/20/2011	1 VIS	F	CON-CON NEC	09/20/2011	CON-CLA	5074.00	
				09/20/201	1 M21	5074 PPM	·				
				09/20/201	1 M21	4556 PPM		10/03/2011	CON-TC ON	0.00	
			•	10/03/201	1 VIS	Р			_		
				10/03/201	1 M21	101 PPM					10/03/2011
2428,11	CONNECTOR/ TEE-SCR	1.00	N OF 22P50.W OF STAIRS	<del></del> -				·	·		
				12/16/201	1 <b>M</b> 21	1848 PPM	CON-TEE	12/16/2011	CON-CLA	3022.00	
				12/16/201	1 M21	3022 PPM		12/22/2011	CON-TC ON	87.00	
				12/16/201	1 M21	3022 PPM		12/22/2011			37.00

Program: NESHAPS-FF

Process U	Init: 02				Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed
- , . , ·				12/22/2011	M21	87 PPM					12/22/2011
2429.01	CONNECTOR/ SCREWED	0.75	N OF 22P50.W OF STAIRS.	09/20/2011	VIS	F	CON-CON NEC	09/20/2011	CON-CLA	1109.00	
				09/20/2011	 M21	1109 PPM				<del></del>	
				09/20/2011	M21	1446 PPM		10/03/2011	CON-TC ON	0.00	
				10/03/2011	VIS	Р					
				10/03/2011	M21	51 PPM					10/03/2011
	CONNECTOR/	1.00	12FT SE OF TK99. DOT LINE								
	00			12/16/2011	M21	2194 PPM	CON-90	12/16/2011	CON-CLA		
				12/16/2011	M21	2868 PPM		12/22/2011	CON-TC ON	42.00	
				12/22/2011	M21	42 PPM					12/22/2011
2460.01	CONNECTOR/ SCREWED	1.00	12FT SE OF TK99. DOT LINE								
				12/16/2011	M21	16000 PPM	CON-CON NEC	12/16/2011	CON-CLA	15400.00	
				12/16/2011	M21	15400 PPM		12/22/2011	CON-TC ON	42.00	
				12/22/2011	M21	42 PPM					12/22/2011
2461.02	CONNECTOR/ SCREWED	0.75	12FT SE OF TK99. DOT LIN	E	_	<del> </del>			_	_	
	CONCESSED			12/16/2011	M21	2258 PPM	CON-CON NEC	12/16/2011	CON-CL	N-TC 42.00	
				12/16/2011	M21	6538 PPM	-	12/22/2011	CON-TC ON		
				12/22/201		42 PPM					12/22/2011

Program: NESHAPS-FF

Process U	nit: 02						Part	_	Domair	D	D-4-
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
2528	VALVE/ BALL	0.75	16FT SE OF TK191,DOT LINE		•						
	-			12/19/2011	M21	960 PPM	VLV-PKG	12/19/2011	VLV-CL	2059.00	
			-	12/19/2011	M21	2059 PPM		12/22/2011	VLV-TP	45.00	
			-	12/22/2011	M21	45 PPM					12/22/2011
2639.01	CONNECTOR/	4.00	22P81 W OF TK 98. 2FT S OF	PUMP.N				<del></del> -			
	FLANGE		FLANGE,			/450 DDI	00N FI 0	10/04/0014	CONTE	625.00	
				12/01/2011	M21	1376 PPM	CON-FLG	12/01/2011	CON-TFL G	625.00	
			-	12/01/2011	M21	625 PPM		12/02/2011	CON-TFL G	10.00	
			-	12/02/2011	M21	10 PPM					12/02/2011
	CONNECTOR/ FLANGE	4.00	22P81 W OF TK 98.S FLANGE	<u> </u>			_				
				12/01/2011	M21	699 PPM	CON-FLG	12/01/2011	CON-TFL G	751.00	
			-	12/01/2017	M21	751 PPM	·	12/02/2011	CON-TFL G	64.00	
			-	12/02/2011	M21	64 PPM	· · · · · · · · · · · · · · · · · · ·	•••			12/02/2011
2645.01	CONNECTOR/ FLANGE	3.00	22P81 W OF TK 98.1FT N OF FLANGE.	PUMP.S						_	
				12/01/2011	M21	1720 PPM	CON-FLG	12/01/2011	CON-CLA	3285.00	
				12/01/201	M21	3285 PPM		12/02/2011	CON-TFL G	59.00	
			•	12/02/201	M21	59 PPM			-		12/02/2011
2656.01	CONNECTOR/ FLANGE	3.00	UNDERNEATH TK99 IN MIDD FLANGE.	LE .TOP			-				<del></del>
				12/01/201	M21	1803 PPM	CON-FLG	12/01/2011	CON-CLA	640.00	
				12/01/201	I M21	640 PPM		12/02/2011	CON-TFL G	91.00	
			•	12/02/201	M21	91 PPM				_	12/02/2011
2657.03	CONNECTOR/ FLANGE	6.00	UNDERNEATH TK99 IN MIDD FLANGE.	LE.N BTM							

Program: NESHAPS-FF

Process L	Init : 02										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
2657.03	CONNECTOR/	6,00	UNDERNEATH TK99 IN MIDD	LE.N BTM		."				·	
200,100	FLANGE		FLANGE.						0011014	4400.00	
			_	12/01/2011	M21	1843 PPM	CON-FLG	12/01/2011	CON-CLA		
				12/01/2011	M21	1402 PPM		12/02/2011	CON-TFL G	68.00	
			-	12/02/2011	M21	68 PPM					12/02/2011
2659	VALVE/ ORBIT	4.00	UNDERNEATH TK190 NW SIL	DE.btw 99/190		-	-				
2000				12/01/2011	M21	870 PPM	VLV-PKG	12/01/2011	VLV-CL	2112.00	
			•	12/01/2011	M21	2112 PPM		12/02/2011	VLV-TP	6.00	· <del></del>
•			•	12/02/2011	M21	6 PPM					12/02/2011
2666.02	CONNECTOR/	3.00	UNDERNEATH TK191 IN MID	DLE. BTM				-			
	FLANGE		FLANGE.	12/01/2011	M21	923 PPM	CON-FLG	12/01/2011	CON-CLA	1204.00	
				12/01/2011	M21	1204 PPM		12/02/2011	CON-TFL G	48.00	
				12/02/2011	M21	48 PPM					12/02/2011
2667	VALVE/ GLOBE	4.00	UNDERNEATH TK191 IN MID	DLE.							
				12/01/2011	M21	797 PPM	VLV-PKG	12/01/2011	VLV-TP	1543.00	
			•	12/01/2011	M21	1543 PPM		12/02/2011	VLV-TP	54.00	
			•	12/02/2011	M21	54 PPM					12/02/2011
2782.03	CONNECTOR/ 45	0.75	BTM OF TK 191 N SIDE.	_		·					
	10			12/01/2011	M21	1417 PPM	CON-SCR	12/01/2011	CON-CLA	1781.00	
				12/01/2011	M21	1781 PPM		12/02/2011	CON-TIG	3.00	<del></del>
	·			12/02/2011	M21	3 PPM			-		12/02/2011
2826.01	CONNECTOR/ FLANGE	3.00	N SIDE OF TK 99 @ BTM. TO	P FLANGE.							
				12/01/2011	M21	2375 PPM	CON-FLG	12/01/2011	CON-CLA	957.00	
				12/01/2011	M21	957 PPM		12/02/2011	CON-TFL G	210.00	
				12/02/2011	M21	210 PPM					12/02/2011

Program: NESHAPS-FF

Process U	Init: 02				<b>-</b> .		Part	Banair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Leaking	Repair Date	Method	Reading	Completed
2866.01	CONNECTOR/	3.00	BTWN TK 99 & 98. N SIDE S	OF LADDER.							
	FLANGE		BTM FLANGE.	09/21/2011	VIS	F	CON-FLG	09/21/2011	CON-CLA	13600.00	
				09/21/2011	M21	13600 PPM		09/21/2011	CON-CLA	14800.00	
				09/21/2011		14800 PPM		09/22/2011	CON-TFL G	1800.00	
						·					<del></del>
				09/22/2011		1800 PPM			CON-TFL	0.00	
				09/22/2011	VIS	Р		10/03/2011	G G	0.00	
				10/03/2011	VIS	Р					
				10/03/2011	M21	75 PPM					10/03/2011
2875.01	CONNECTOR/ FLANGE	3.00	N SIDE OF TK98 @ BTM. TO	P FLANGE.							
	1292			12/01/2011	M21	16100 PPM	CON-FLG	12/01/2011	CON-CLA	32900.00	
				12/01/2011	M21	32900 PPM		12/01/2011	CON-TFL G	26.00	
				12/01/2011	M21	26 PPM					12/01/2011
3019.01	CONNECTOR/ PLUG	1.00	2FT SW OF TK 89 1FT NE O	F PUMP 22-P-36						-	
				12/01/2017	l VIS	F	CON-CON NEC	12/01/2011	CON-CLA	517.00	
				12/01/201	1 M21	517 PPM					
				12/01/201	1 M21	529 PPM		12/01/2011	CON-TPL G	4.00	
				12/01/201	1 M21	4 PPM					
				12/01/201		Р				<del> </del>	12/01/201
3023.03	CONNECTOR/ PLUG	0.50	3FT W OF TK 89 3FT N OF F	PUMP 22-P-36		-			-		
	-			12/01/201	1 VIS	F	CON-CON NEC	12/01/2011	CON-CLA	810.00	
				12/01/201	1 M21	810 PPM					

Program: NESHAPS-FF

Process U	nit: 02						Part	Danielii.	Don-!-	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Leaking	Repair Date	Repair Method	Reading	Completed
				12/01/2011	M21	1558 PPM	- '	12/01/2011	CON-TPL G	42,00	
				12/01/2011	M21	42 PPM					
				12/01/2011	VIS	Р					12/01/2011
3373.02	CONNECTOR	0.75	BTM SESD OF BULLET 94 10 93 TOP OF S/G	OFT E OF BULLET							
				12/02/2011	M21	1028 PPM	CON-SCR	12/02/2011	CON-CLA		
				12/02/2011	M21	1651 PPM		12/07/2011	CON-TC ON	54.00	
				12/07/2011	M21	54 PPM					12/07/201
3406.06	CONNECTOR	0.25	SSD OF BULLET 93 1FT SW SMPL STATION 10FT E OF E								
				12/02/2011	M21	2667 PPM	CON-TUB	12/02/2011	CON-TC ON	1843.00	
				12/02/2011	M21	1843 PPM		12/07/2011	CON-TC ON	3.00	
				12/07/2011	M21	3 PPM					12/07/201
3732.03	CONNECTOR	0.75	MDL OF RAIL LOADING RAC	CKS ON 1ST							
				09/29/2011	VIS	F	CON-SCR	09/29/2011	CON-CLA	836.00	
				09/29/2017	M21	836 PPM					
				09/29/2011	M21	983 PPM		10/03/2011	CON-CLA	0.00	
				10/03/201	VIS	Р					
				10/03/201	1 M21	39 PPM					10/03/201
3797	VALVE/ PSV	0.75	IN PIPERACK 17FT SW OF OUTSIDE SLOP LINE.	22P88 ON HP							
				12/02/201	1 M21	549 PPM	VLV-SCR	12/02/2011	VLV-CL	683.00	
				12/02/201	1 M21	683 PPM		12/07/2011	VLV-CL	3600.00	. <u> </u>
				12/07/201	1 M21	3600 PPM		12/07/2011	VLV-CL	1.00	
				12/16/201	1 M21	1 PPM		12/16/2011	VLV-BOX	·	12/16/201

Program: NESHAPS-FF

Process L	Init: 02				_	<del>-</del>					
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
3797.02	CONNECTOR/ SCREWED	1.00	IN PIPERACK 17FT SW OF OUTSIDE SLOP LINE.	22P88 ON HP							
				09/28/2011	VIS	F	CON-CON NEC	09/28/2011	CON-WO	3542.00	
				09/28/2011	M21	3542 PPM					
				09/28/2011	M21	2021 PPM		10/04/2011	CON-TC ON	0.00	
				10/04/2011	VIS	Р			<del></del>		
				10/04/2011	M21	18 PPM				-	10/04/2011
3797.03	CONNECTOR/	0.75	IN PIPERACK 17FT SW OF	22P88 ON HP						<del> </del>	
	COUPLING		OUTSIDE SLOP LINE.	09/28/2011	VIS	F	CON-CON NEC	09/28/2011	CON-WO	4916.00	
				09/28/2011	M21	4916 PPM				<u></u>	<del></del>
				09/28/2011		4661 PPM	-	10/04/2011	CON-TC ON	0.00	
				10/04/2011	VIS	P				<u>-</u>	
				10/04/2011		9 PPM	<del></del>				10/04/2011
3962.02	CONNECTOR/	0,50	ON PUMP 22P87 FROM SEA	AL @ VLV 10' W	-						
				12/06/2011	M21	80900 PPM	CON-CON NEC	12/06/2011	CON-CLA	59200.00	
				12/06/2011	M21	59200 PPM		12/08/2011	CON-TC ON	271.00	
				12/08/2011	M21	271 PPM	······································				12/08/2011
3962.03	CONNECTOR/ TUBCON	0.50	ON PUMP 22P87 FROM SEA OF TK80	AL @ TEE 10' W	•		•			-	
				12/06/2011	M21	116400 <b>PPM</b>	CON-CON NEC	12/06/2011	CON-CLA	40000.00	
				12/06/2011	M21	40000 PPM		12/08/2011	CON-TC ON	125,00	
				12/08/2011	M21	125 PPM			-		12/08/2011

Program: NESHAPS-FF

Process L	Init : 02										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
3962.04	CONNECTOR/	0.50	ON PUMP 22P87 FROM SEA	L @ TEE 10' W		<u> </u>					
	TUBCON		OF TK80	12/06/2011	I M21	1986 PPM	CON-CON NEC	12/06/2011	CON-CLA	837.00	
				12/06/2011	M21	837 PPM		12/08/2011	CON-TC ON	256.00	
				12/08/2011	M21	256 PPM					12/08/2011
3962.05	CONNECTOR/ TUBCON	0.50	ON PUMP 22P87 FROM SEA	AL @ TEE 10' W							
				12/06/2011	l M21	769 PPM	CON-CON NEC	12/06/2011	CON-CLA	1509.00	
				12/06/201	M21	1509 PPM		12/08/2011	CON-TC ON	52.00	
				12/08/2011	1 M21	52 PPM	<u> </u>				12/08/2011
3977	VALVE/ ORBIT	4.00	PUMP 22P86 SUCTION LINE	12' W OF TK80			·· <u>·</u> ·				
				12/06/201	1 M21	19500 PPM	VLV-PKG	12/06/2011	VLV-CL	12900.00	
				12/06/201	1 M21	12900 PPM		12/08/2011	VLV-TP	39.00	
				12/08/201	1 M21	39 PPM					12/08/2014
3998	VALVE/ ORBIT	3.00	PUMP 22P85 ON SUCTION	LINE W OF TK80					-		
				12/06/201	1 M21	1353 PPM	VLV-CAP	12/06/2011	VLV-CL	2008.00	
				12/06/201	1 M21	2008 PPM		12/08/2011	VLV-TCA P	5.00	
				12/08/201	1 M21	5 PPM					12/08/2011
4027	VALVE/ ORBIT	6.00	S SIDE TK80 TOP blk	12/06/201	1 M21	4789 PPM	VLV-PKG	12/06/2011	VLV-CL	3346.00	
				12/06/201	1 M21	3346 PPM		12/08/2011	VLV-TP	46.00	
				12/08/201	1 M21	46 PPM					12/08/2011
4052	VALVE/ ORBIT	6.00	S SIDE TK82 TOP BLK	<del></del>			<del></del> -				
				12/06/201	1 M21	2485 PPM	VLV-PKG	12/06/2011	VLV-CP	2864,00	
				12/06/201	1 M21	2864 PPM		12/08/2011	VLV-TP	226.00	
				12/08/201	1 M21	226 PPM					12/08/201

Program: NESHAPS-FF

Process U	Init: 02				Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed
4061	VALVE/ ORBIT	6.00	S SIDE TK83 TOP BLK			•				<u> </u>	<u>.</u>
				12/06/201	1 M21	10100 PPM	VLV-PKG	12/06/2011	VLV-CP	160600.00	
				12/06/201	1 M21	160600 PPM		12/08/2011	VLV-TP	4.00	
				12/08/201	1 M21	4 PPM					12/08/2011
4093.02	CONNECTOR/ FLANGE	3.00	N SIDE TK81 TOP BLDR								
				12/06/201	1 M21	10400 PPM	CON-FLG	12/06/2011	CON-CLA		
				12/06/201	1 M21	126300 PPM	_	12/08/2011	CON-TFL G	81.00	
				12/08/201	1 M21	81 PPM					12/08/2011
4197.01	CONNECTOR/ PLUG	0.50	TK 83 S SIDE OVHD TEMP	MTR							
				12/06/201	1 M21	53800 PPM	CON-CAP	12/06/2011	CON-CLA	48000.00	
				12/06/201	1 M21	48000 PPM		12/06/2011	CON-CLA	25600.00	
				12/06/201	1 M21	25600 PPM		12/08/2011	CON-TPL G	8.00	
				12/08/201	1 M21	8 PPM					12/08/2011
4204.01	CONNECTOR/ PLUG	0.75	TK 83 S SIDE OVHD BLDR	<u> </u>			_		-		
				12/06/201	1 M21	3406 PPM	CON-CAP	12/06/2011	CON-CLA		
				12/06/201	1 M21	2031 PPM		12/08/2011	CON-TPL G	. 5.00	
				12/08/201	11 M21	5 PPM					12/08/2011
4211.09	CONNECTOR/ 90	0.50	TK 83 S SIDE BTM BLK								
				12/06/201	11 M21	936 PPM	CON-90	12/06/2011	CON-CLA	219.00	
				12/06/20	11 M21	219 PPM					12/06/2011
4211.11	CONNECTOR/ COUPLING	0.50	TK 83 S SIDE BTM BLK								
				12/06/20	11 M21	623 PPM	CON-SCR	12/06/2011	CON-CLA	234.00	

Program: NESHAPS-FF

Process U	nit : 02										
Tag Number	Part / Type	Size	Location		Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
	<del>-</del>			12/06/2011	M21	234 PPM					12/06/2011
4211.12	CONNECTOR/	0.50	TK 83 S SIDE BTM BLK		<del></del>			·	-		
	,-			12/06/2011	M21	902 PPM	CON-CON NEC	12/06/2011	CON-CLA	3517.00	
			·	12/06/2011	M21	3517 PPM		12/08/2011	CON-TC ON	47,00	<del>-</del> -
				12/08/2011	M21	47 PPM	·				12/08/2011
4211.13	CONNECTOR/	0.50	TK 83 S SIDE BTM BLK					<u> </u>		-	
43				12/06/2011	M21	9670 PPM	CON-CON NEC	12/06/2011	CON-CLA	5466,00	_
				12/06/2011	M21	5466 PPM		12/08/2011	CON-TC ON	5.00	<del></del> -
			•	12/08/2011	M21	5 PPM	·				12/08/2011
4211.14	CONNECTOR/ REDUCER	0,50	TK 83 S SIDE BTM BLK						<u> </u>		
				12/06/2011	M21	325600 PPM	CON-CAP	12/06/2011	CON-CLA	47200.00	
				12/06/2011	M21	47200 PPM		12/06/2011	CON-CLA	150000.00	
				12/06/2011	M21	150000 PPM		12/08/2011	CON-TCA	6.00	
				12/08/2011	M21	6 PPM					12/08/2011
4213	VALVE/ BALL CHECK	0.75	TK 83 S SIDE BTM BLK			<u></u>	-				
				10/18/2011	M21	12000 PPM	VLV-PLUG	10/18/2011	VLV-CL	16100.00	
				10/18/2011	M21	16100 PPM		10/20/2011	VLV-TPL G	PL 43.00	
				10/20/2011	M21	43 PPM					-10/20/2011
4221	VALVE/ ORBIT	6.00	TK 83 S SIDE BTM BLK UN	NDERNEATH 12/06/2011	M21	18800 PPM	VLV-PKG	12/06/2011	VLV-CL	84100.00	

Program: NESHAPS-FF

Process U	nit : 02				Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed
	<u> </u>			12/06/2011	M21	84100 PPM		12/08/2011	VLV-TP	27.00	
				12/08/2011		27 PPM					12/08/2011
4243.03	CONNECTOR/ SCREWED	0.50	TK 82 S SIDE BTM BLK@SG								
				09/24/2011	VIS	F	CON-CON NEC	09/24/2011	CON-CLA	112800.00	
				09/24/2011	M21	112800 PPM					
				09/24/2011	M21	94200 PPM		10/03/2011	CON-TC ON	0.00	
				10/03/2011	VIS	P					
				10/03/2011	M21	147 PPM					10/03/2011
4245,05	CONNECTOR/ PLUG	0.25	TK 82 S SIDE BTM DRAIN BL	DR							
				12/06/201	M21	29800 PPM	CON-CAP	12/06/2011	CON-CLA		
				12/06/201	M21	43400 PPM		12/08/2011	CON-TCA	21.00	
		•		12/08/201	M21	21 PPM					12/08/2011
4246.03	CONNECTOR/ 90	0.75	TK 82 S SIDE BTM DRAIN BL	DR							
				12/06/201		5340 PPM	CON-90	12/06/2011	CON-CLA		
				12/06/201	1 M21	6934 PPM		12/08/2011	CON-TC ON	52.00	
				12/08/201	1 M21	52 PPM					12/08/201
4246.05	CONNECTOR/ COUPLING	0.75	TK 82 S SIDE BTM DRAIN BL	DR	<u> </u>						
				12/06/201	1 M21	1303 PPM	CON-CON NEC	12/06/2011	CON-CLA	1724.00	<u> </u>
				12/06/201	1 M21	1724 PPM		12/08/2011	CON-TC ON	11.00	
				12/08/201	1 M21	11 PPM	. <u> </u>		·		12/08/201

Program: NESHAPS-FF

Process L	, , , , , , , , , , , , , , , , , , ,				Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location N	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed
4246.06	CONNECTOR/	0.75	TK 82 S SIDE BTM DRAIN BLDI	R							
	COUPLING			12/06/2011	VIS	F	CON-CON NEC	12/06/2011	CON-CLA	5392.00	
			_	12/06/2011	M21	5392 PPM		-			
			_	12/06/2011	M21	21700 PPM		12/08/2011	CON-TC ON	0.00	
			_	12/08/2011	VIS	Р					
			_	12/08/2011	M21	122 PPM					12/08/2011
4246A.01	CONNECTOR/ SCREWED	0.75	TK 82 S SIDE BTM DRAIN BLD	R @ BARREL							
	<b>01.12.</b> 7==			12/06/2011	VIS	F	CON-SCR	12/06/2011	CON-CLA	949.00	
			_	12/06/2011	M21	949 PPM					
			_	12/06/2011	M21	2149 PPM		12/08/2011	CON-TC ON	0.00	
			_	12/08/2011	VIS	Р					
			_	12/08/2011	M21	209 PPM					12/08/2011
4246A.03	CONNECTOR/ 45	0.75	TK 82 S SIDE BTM DRAIN BLD	R @ BARREL							
				12/06/2011	VIS	F	CON-CON NEC	12/06/2011	CON-CLA	727.00	
			<del>-</del>	12/06/2011	M21	727 PPM					
				12/06/2011	M21	1966 PPM		12/08/2011	CON-TC ON	0.00	
			_	12/08/2011	VIS	Р	- <u>-</u>				
			_	12/08/2011	M21	2 PPM					12/08/201
4284	VALVE/ NEEDLE	0.25	TK 80 S SIDE OVHD TEMP MT	R BLK							
				09/24/2011	M21	1913 PPM	VLV-SCR	09/24/2011	VLV-CL	1185,00	
			-	09/24/201	M21	1185 PPM		10/03/2011	VLV-RV	21.00	
			-	10/03/201	M21	21 PPM					10/03/201

Program: NESHAPS-FF

					Test		Part	Repair	Repair	Remonitor	Date	
Tag Number	Part / Type	Size	Location N	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed	
	4311A	VALVE/ CHECK	0.75	10FT W OF TK 80 S SIDE BTM	BLDR 10/18/2011	M21	115000 PPM	VLV-SCR	10/18/2011	VLV-CL	34500.00	-
			_	10/18/2011	M21	34500 PPM	_	10/18/2011	VLV-TCO N	97.80	-	
			_	10/18/2011	M21	97.8 PPM	<del> </del>				10/18/201	

	Process Unit 02 Sun	nmary
	Component Count	Leak Count
Total in Group	71	80
Tota! Valves	17	18
Total Pumps	0	0
Total Compressors	0	0
Total Relief Valves	0	0
Total Connectors	54	62
Total Agitators	0	0
Total Other Equipment	0	0

Program: NESHAPS-FF

Process U	nit: 05			•							•
					Test		Part	Repair	Repair	Remonitor	Date
Tag Number	Part / Type	Size	Location	Monitor Date	Method	PPM Reading	Leaking	Date	Method	Reading	Completed
4590	VALVE/ GATE	4.00	L/1 E SIDE OF 5E45 FINFAN E RM.	BY OLD CNTRL		-					
				11/16/2011	VIS	F	VLV-PKG	11/16/2011	VLV-TP	775.00	
			•	11/16/2011	M21	775 PPM					
			•	11/16/2011	M21	615 PPM		11/17/2011	VLV-TP	30.00	
			•	11/17/2011	M21	30 PPM					
			•	11/17/2011	VIS	P					11/17/2011
4644	VALVE/ GATE	4.00	IN WALKWAY 25FT SE OF 5V	5. 11/16/2011	VIS	F	VLV-BON	11/16/2011	VLV-CL	1287.00	
				11/16/2011	M21	1287 PPM	<del></del> -				
				11/16/2011	M21	1091 PPM		11/17/2011	VLV-TBO N	1200.00	
				11/17/2011	M21	1200 PPM		11/18/2011	VLV-D&T	0.00	
				11/18/2011	VIS	Р					
				11/18/2011	M21	146 PPM	<del>,</del>				11/18/2011

	Process Unit 05 Sun	птагу	
	Component Count	Leak Count	
Total in Group	2	2	
Total Valves	2	2	
Total Pumps	0	0	
Total Compressors	0	0	
Total Relief Valves	0	0	
Total Connectors	0	0	
Total Agitators	0	0	
Total Other Equipment	0	0	

Program: NESHAPS-FF

Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed	
30637	30637 VALVE/ GATE	VALVE/ GATE	1.00	WATER BOOT 5FT W OF 14V	6 10/05/2011	M21	3057 PPM	VLV-PLUG	10/05/2011	VLV-TPL G	2971.00	
				10/05/2011	M21	2971 PPM		10/07/2011	VLV-TPL G	16.00		
				10/07/2011	M21.	16 PPM					10/07/2011	

	Process Unit 14 Sun	nmary	
	Component Count	Leak Count	
Total in Group	1	1	
Total Valves	1	1	
Total Pumps	0	0	
Total Compressors	0	0	
Total Relief Valves	0	0	
Total Connectors	0	0	
Total Agitators	0	0	
Total Other Equipment	0	0	

Program: NESHAPS-FF

Process L	Init: 34										
Tag Number	Part / Type	Size	Location N	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
5215	VALVE	6.00	SOUTH WEST SIDE OF TK108	11/15/2011	VIS	F	WTR DRW CA	11/15/2011	VLV-TCA P	1997.00	
			<del>-</del>	11/15/2011	M21	1997 PPM					
			_	11/15/2011	M21	60.67 PPM					
				11/15/2011	VIS	P					11/15/2011
5217	VALVE	6.00	SOUTH EAST SIDE OF TK108	11/04/2011	VIS	F	VLV-PKG				· 
			_	11/04/2011	M21	1488 PPM					
			<del>-</del>	11/04/2011	M21	0 PPM		11/07/2011	VLV-TP	203.00	
			_	11/07/2011	M21	203 PPM					
				11/07/2011	VIS	Р					11/07/2011
5244	VALVE/WTR DRW	6.00	SOUTH WEST SIDE OF TK109		VIS	F	WTR DRW	11/15/2011	VLV-CL	4954.00	
				11/15/2011	VIS _		CA				
			_	11/15/2011	M21	4954 PPM	<del></del>				
			_	11/15/201	M21	1439 PPM		11/16/2011	VLV-TCA P	0.00	
			_	11/16/2011	VIS	Р					
			_	11/16/201	M21	101 PPM					11/16/2011
5261	VALVE	6.00	EAST SIDE OF TK109 @ CATV	VALK 11/04/201	ı VIS	F			•		
			-	11/04/201	1 M21	3297 PPM		11/07/2011	VLV-TP	0,00	
			-	11/07/201	1 VIS	Р					
			-	11/07/201	1 M21	201 PPM					11/07/2011
5365	VALVE	6.00	SOUTH OF TK113	10/24/201	1 M21	2198 PPM	WTR DRW	10/24/2011	VLV-TBC	795.00	
			<del>-</del>	10/24/201	1 M21	795 PPM		10/25/2011	VLV-TCA P	113.00	

Program: NESHAPS-FF

Process l	Jnit: 34										
Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
											,
				10/25/2011	M21	113 PPM		-			
				10/25/2011	VIS	P	····				10/25/2011
5825	VALVE/ WTR DRW	6.00	SOUTH EAST SIDE OF TK1: TANK & CATWALK	29 BETWEEN					_		
				10/25/2011	M21	702 PPM	WTR DRW CA	10/25/2011	ATTB	602.00	
				10/25/2011	M21	602 PPM		10/26/2011	VLV-TCA P	6.00	
				10/26/2011	M21	6 PPM	<del></del>		·		10/26/2011
5868	VALVE	6.00	NORTH EAST SIDE OF TK1	28 NEAR STAIRS						•	
				10/25/2011	M21	4701 PPM	WTR DRW CA	10/25/2011	ATTB	3664.00	
				10/25/2011	M21	3664 PPM					
				11/04/2011	VIS	P					
				11/04/2011	M21	116 PPM					11/04/2011
									-		

	Process Unit 34 Sur	nmary
	Component Count	Leak Count
Total in Group	7	7
Total Valves	7	7
Total Pumps	0	0
Total Compressors	0	0
Total Relief Valves	0	0
Total Connectors	0	0
Total Agitators	0	0
Total Other Equipment	0	0

Program: NESHAPS-FF

Tag Number	Part / Type	Size	Location	Monitor Date	Test Method	PPM Reading	Part Leaking	Repair Date	Repair Method	Remonitor Reading	Date Completed
30551	PUMP/ CENTRIF	0.00	PUMP AT AA-10 -2 TERM			<u> </u>			•		
				12/13/2011	VIS	F	PMP-SEAL	12/13/2011	PMP-WS E	1460.00	
				12/13/2011	M21	1460 PPM					
				12/13/2011	M21	1506 PPM					
				12/20/2011	VIS	P		12/22/2011	PMP-WS E	0.00	
				12/22/2011	VIS	Р			-		
				12/22/2011	M21	87 PPM			_		12/22/2011

	Process Unit TERM Summary			
	Component Count	Leak Count		
Total in Group	1	1		
Total Valves	0.	0		
Total Pumps	1	1		
Total Compressors	0	0		
Total Relief Valves	0	0		
Total Connectors	0	0		
Total Agitators	0	0		
Total Other Equipment	. 0	0		

# Table 9 Michigan Refining Division Fourth Quarter End of Line Calculations

		S1	S2	S3a	S3b	57	54	S5	56	l
Q4 2011		Sand Filter Effluent	29T40/41	Centrifuge Solids	29T12	29T47	Vacuum Truck	Miscellaneous	Spent Caustic	Monthly Total (kg)
•		0.00	95.33	-	2.50	193,33		فيحصين		
		0.00	89.67	11.30	2,50	68.27				
	Individual Sample	0,00	65.67	0.25	2.50	72,00				
	Results (ppm)	0.021	91.00	0,36	2.50	32.67				
	Average Sample									
	Results (ppm)	0.007	85.42	3.97	2.50	91.57	التستنسلية		1-0-2	
October-11	Waste Volume									
	(gallons/month)	44,787,312	0	216,940	24,000	36,205	ليروحوا			
	Waste Amount		ì							
	(kg)	169,784,628	0	98,609	65,416	137,250	فتناسات والتناديقا			
	Monthly EOL					1				
	Benzene		ļ	ļ						
	Quantity (kg)*	1.15	0.00	0.39	0.16	12.57	17.78	0.01	0.17	32.23
	,	0.00	82.00	0.57	2.50	32.33			ويجورون	
		0.025	83,00	0.82	1.00	22.33			فترجه والمساورة	
		0.04	86.33	51.33	2,50	20,33				
	Individual Sample	0,02	76,67	43.67	2.50	13.67				
	Results (ppm)	0.02	36,00	0,05	2,50	2.50				
November-11	Average Sample			1			1.00			
	Results (ppm)	0,02	72.80	19.29	2.20	18,23	<u> </u>			
	Waste Volume		1							
	(gallons/month)	159,135,840	0	163,600	24,000	12,406				
	Waste Amount					l				
	(kg)	603,269,503	0	74,364	65,416	47,030			للتكسيساكية	
	Monthly EOL		1							
	Benzene									00.40
	Quantity (kg)*	12.59	0.00	1.43	0.14	0,86	68.29	0.00	0.11	83.43
December-11		0.017	156.67	0.42	2,50	16.00				
		0.065	60.67	0.20	2,50	12.00				
	Individual Sample		340.00	0.25	1.00	9,45		·		
	Results (ppm)	0.001	105.67	0.25	2,50	<del>  -</del>				
	Average Sample				2.40	40.40				
	Results (ppm)	0.03	165.75	0.28	2.13	12.48		<del>(</del>		
		80 054 000	_	00.540		07.000				
	(gaflons/month)	83,351,808	0	90,540	0	27,653				
	Waste Amount	045 070 407	١ .	44.455	_	104 000			4	
	(kg) Monthly EQL	315,979,127	0	41,155	0	104,830	<u> </u>	<u>ئىدىن ئىلىنى ئىلىنى بىلىنى بىلىن</u>	<u>ے آفستان میں ماک مشکر اسامی</u>	a ki garanta kan dalah si dari
	Benzene						1		-	
	Quantity (kg)*	9,25	0.00	0.01	0.00	1.31	133,35	45.71	0.00	189,63
	Letosumity (kg),	9,25	0,00	U.U1	0.00	1.03	100,00	45.7	0.00	107.03

*For non-detect results, 1/2 the detection limit is used in the calculated quantity.

Quarterly Benzene totals (kg):

22,99 0.00

1.84

0.31 14.73

219.42 45.72

0.28

305.28

Fourth	Quarter EQL	
Benz	ene Quantity	
0.30528	(Kg):	305.28
	Benz	Fourth Quarter EOL Benzene Quantity 0.30528 (Kg):

Table 10
BWON Inspections - Fourth Quarter 2011
Michigan Refining Division

Complex	Unit	Date	Service/Description	First Attempt	Recommended Fix	Final repair	Final Repair Date
3/4	N/A	10/24/2011	BWON Used/Slop Oil Drum M-2	Latch Lid	Latch Lid	Lid Latched	10/24/2011
2	8	10/26/2011	BWON Used/Slop Oil Drum 2-5	Latch Lid	Latch Lid	Lid Latched	10/26/2011
3/4	N/A	10/27/2011	BWON Used/Slop Oil Drum M-2	Latch Lid	Latch Lid	Lid Latched	10/27/2011
1	5	10/27/2011	BWON Used/Slop Oil Drum 1-1	Latch Lid	Latch Lid	Lid Latched	10/27/2011
1		10/27/2011	BWON Used/Slop Oil Drum 1-6	Latch Lid	Latch Lid	Lid Latched	10/27/2011
N/A	N/A	10/27/2011	BWON Used Slop Oil Drum W-1	Latch Lid	Latch Lid	Lid Latched	10/27/2011
3/4	N/A	10/27/2011	BWON Used/Slop Oil Drum M-1	Latch Lid	Latch Lid	Lid Latched	10/27/2011
4	N/A	11/23/2011	BWON Used/Slop Oil Drum 4-1	Latch Lid	Install New Lid	New Lid Installed	11/28/2011
2	8	11/30/2011	BWON Used/Slop Oil Drum 2-1	Latch Lid	Latch Lid	Lid Latched	11/30/2011
2	8	11/30/2011	BWON Used/Slop Oil Drum 2-3	Latch Lid	Latch Lid	Lid Latched	11/30/2011
N/A	N/A	11/30/2011	BWON Used/Slop Oil Drum W-1	Latch Lid	Latch Lid	Lid Latched	11/30/2011
3/4	N/A	11/30/2011	BWON Used/Slop Oil Drum M-1	Latch Lid	Latch Lid	Lid Latched	11/30/2011
1	5	12/15/2011	BWON Used/Slop Oil Drum 1-1	Latch Lid	Latch Lid	Lid Latched	12/15/2011
1		12/15/2011	BWON Used/Slop Oil Drum 1-6	Latch Lid	Latch Lid	Lid Latched	12/15/2011
1	5	12/15/2011	BWON Used/Slop Oil Drum 1-3	Latch Lid	Latch Lid	Lid Latched	12/15/2011
3/4	N/A	12/16/2011	BWON Used/Slop Oil Drum M-1	Latch Lid	Latch Lid	Lid Latched	12/16/2011
3/4	N/A	12/16/2011	BWON Used/Slop Oil Drum M-2	Latch Lid	Latch Lid	Lid Latched	12/16/2011
2	8	12/29/2011	BWON Used/Slop Oil Drum 2-5	Latch Lid	Latch Lid	Lid Latched	12/29/2011

# MICHIGAN DEPARTMENT OF NATURAL RESOURCES AND ENVIRONMENT AIR QUALITY DIVISION .

# REPORT CERTIFICATION

Authorized by 1994 P.A. 451, as amended. Failure to provide this information may result in civil and/or criminal penalties.

Reports submitted pursuant to R 336.1213 (Rule 213), subrules (3)(c) and/or (4)(c), of Michigan's Renewable Operating Permit (ROP) program must be certified by a responsible official. Additional information regarding the reports and documentation listed below must be kept on file for at least 5 years, as specified in Rule 213(3)(b)(ii), and be made available to the Department of Natural Resources and Environment, Air Quality Division upon request.

Source NameMaratl	non Petroleum Comp	oany LP			County Wayne	
Source Address 1300	) South Fort Stree	t		City	Detroit	<u> </u>
QD Source ID (SRN)	A9831	ROP No.	199700013c		ROP Section No.	01
ease check the appropri	riate box(es): e Certification (Pursua	ant to Rule 213(4)	(c))	_		
J Annual Compilance	e Certification (Pursua	ant to Rule 215(4)	(0))			
☐ 1 During the enti	ovide inclusive dates): re reporting period, this of which is identified a ed in the ROP.	From source was in come included by this	To ppliance with ALL ten reference. The meth	ns and co	nditions contained i d to determine com	n the ROP, each pliance is/are the
term and condition deviation report(s)	tire reporting period thing of which is identified to The method used to indicated and described	and included by the determine complia	is reference, <b>EXCEP</b> nce for each term an	T for the	deviations identified	d on the enclosed
Semi-Annual (or M	More Frequent) Report	Certification (Pu	rsuant to Rule 213(3	)(c))		
Poporting period (n	rovide inclusive dates):	From	То			
1. During the ent	tire reporting period, AL ese requirements or an	L monitoring and a	ssociated recordkeep	oing requir	ements in the ROP	were met and no
<ul> <li>2. During the ent deviations from the enclosed deviation</li> </ul>	ire reporting period, all ese requirements or an report(s).	monitoring and ass y other terms or co	ociated recordkeepin nditions occurred, EX	g requirer (CEPT for	nents in the ROP w the deviations iden	ere met and no tified on the
Other Report Cert	ification	<u> </u>				<del>-</del>
Reporting period (p	rovide inclusive dates): g reports or other applicer Leak Detection	cable documents re			d as described:	
	<u></u>	<del></del>				
		<del> </del>				
	information and belief		onable inquiry, the st	tatements	and information in	this report and t
C.T. Case	io iigo, accurato and at	MPC Inves its General	Partner		(313	)843-9100
Name of Responsible	Official (print or type)	Deputy Ass	sistant Secretary Title		Phon	e Number
A T	Cincia (print or typo)		- 1 to to		1/	23/12
Signature of Responsib	le Official		<del></del> -			Date

* Photocopy this form as needed.

EQP 5736 (Rev 2-10)